

Title: Electrochemical potential of chitosan nanoparticles obtained by the reverse micellar process

Author Names: S. Iswarya , T. Theivasanthi , Subash C.B. Gopinath

Abstract: Chitosan [nanoparticles](#) are synthesized by the reverse micellar technique using heptane as solvent and hexamine as [surfactant](#). [XRD](#), [FTIR](#), and SEM/EDAX analyses are performed to investigate the structural and morphological behavior of chitosan [nanoparticles](#). [XRD](#) shows the crystalline nature of the materials with peaks appeared at $2\theta = 17.8^\circ$, 25.5° , 31.2° , 36.4° , 44.7° , and 48.5° . The average [crystallite size](#) of obtained chitosan [nanoparticles](#) is 25 nm. The identification of functional groups in both pure chitosan and chitosan [nanoparticles](#) are compared using [FTIR analysis](#). Noticed at wavenumbers 3435 cm^{-1} and 3460 cm^{-1} corresponds to the stretching vibration of the $-\text{NH}_2$ and $-\text{OH}$ functional groups. SEM shows the uniform morphology of the materials and [EDAX](#) shows the presence of various elements (carbon, nitrogen, oxygen, [aluminum](#) and chlorine) in both the materials. The electrochemical behavior of the nanoparticles was analyzed by [cyclic voltammetry](#) analysis and galvanostatic charging/discharging. Electrochemical faradaic performance identifies chitosan nanoparticles as effective electrode materials in pseudo capacitors.

Keywords: Chitosan nanoparticles; Reverse micellar synthesis; Structural characterization; XRD; FTIR; SEM/EDAX; Crystallite size; Electrochemical performance; Cyclic voltammetry; Pseudocapacitor electrodes

<https://doi.org/10.1016/j.colsurfa.2024.134018>

<https://www.sciencedirect.com/science/article/abs/pii/S0927775724008793>