

TEXT, FACE AND OBJECT DETECTION USING MACHINE LEARNING

BY

MOHAMMAD MASUM BILLAH

ID: 153-15-6415

RAFIKUL ISLAM KHAN

ID: 153-15-6423

&

SHUVASHISH SARKER

ID: 141-15-3177

This Report Presented in Partial Fulfillment of the Requirements for the Degree
of Bachelor of Science in Computer Science and Engineering

Supervised By

HASNA HENA

Senior Lecturer

Department of CSE

Daffodil International University



DAFFODIL INTERNATIONAL UNIVERSITY


DHAKA, BANGLADESH

OCTOBER 2019

APPROVAL


This Project titled “**TEXT, FACE AND OBJECT DETECTION USING MACHINE LEARNING**”, submitted by Mohammad Masum Billah, Rafikul Islam Khan and Shuvashis Sarker to the Department of Computer Science and Engineering, Daffodil International University, has been accepted as satisfactory for the partial fulfillment of the requirements for the degree of B.Sc. in Computer Science and Engineering (BSc) and approved as to its style and contents.

BOARD OF EXAMINERS



Dr. Syed Akhter Hossain
Professor and Head
Department of Computer Science and Engineering
Faculty of Science & Information Technology
Daffodil International University

Chairman




Abdus Sattar
Assistant Professor
Department of Computer Science and Engineering
Faculty of Science & Information Technology
Daffodil International University

Internal Examiner



Shah Md. Tanvir Siddiquee
Assistant Professor
Department of Computer Science and Engineering
Faculty of Science & Information Technology
Daffodil International University

Internal Examiner




Dr. Dewan Md. Farid
Associate Professor
Department of Computer Science and Engineering
United International University

External Examiner

DECLARATION


We hereby declare that; this project has been done by us under the supervision of **Hasna Hena**, Senior Lecturer, **Department of CSE** Daffodil International University. We also declare that neither this project nor any part of this project has been submitted elsewhere for the award of any degree or diploma.

Supervised by:



HASNA HENA
Senior Lecturer
Department of CSE
Daffodil International University

Submitted by:



MOHAMMAD MASUM BILLAH
ID: 153-15-6415
Department of CSE
Daffodil International University

Rafikul Islam Khan

RAFIKUL ISLAM KHAN
ID: 153-15-6423
Department of CSE
Daffodil International University

Shuvashish Sarker

SHUVASHISH SARKER
ID: 141-15-3177
Department of CSE
Daffodil International University

ACKNOWLEDGMENT

First, we express our heartiest thanks and gratefulness to Almighty God for His divine blessing makes us possible to complete the final year project successfully.

We really grateful and wish our profound our indebtedness to **Hasna Hena** Senior Lecturer Department of CSE Daffodil International University, Dhaka. Deep Knowledge & keen interest of our supervisor to carry out this project. Her endless patience, scholarly guidance, continual encouragement, constant and energetic supervision, constructive criticism, valuable advice, reading many inferior drafts and correcting them at all stage have made it possible to complete this project

We would like to express our heartiest gratitude to Most. Hasna Hena, Senior Lecturer, Syed Akhter Hossain, Head, Department of CSE, for his kind help to finish our project and also to other faculty member and the staff of CSE department of Daffodil International University.

Finally, we must acknowledge with due respect the constant support and patience of our parents.

ABSTRACT

Text, Face & Object Detection using Machine Learning is an application which offers users to apply machine learning-based functionalities in the real-life event.

This application will give the users to recognize text and translate the text as well as facial recognition, detecting objects and barcode scanning by using their smartphone camera. The with what's in smartphone camera's viewfinder. Because the smartphone camera won't just see what we see, but will also understand what we see to help us take action. Well, to achieve purpose of this project is to develop a user-friendly android mobile application that will help to understand and interact

this purpose we used toolkit and languages like Android Studio, Machine learning kit, java, etc.

TABLE OF CONTENTS

CONTENTS	PAGE
Declaration	i
Acknowledgments	ii
Abstract	iii
List of figures.....	iv
List of Tables	v

CHAPTER

CHAPTER 1: INTRODUCTION	1-2
1.1 Introduction	1
1.2 Motivation	1
1.3 Objectives	1
1.4 Expected Outcome	2
1.5 Report Layout & background	3
CHAPTER 2: BACKGROUND	4-12

2.1 Introduction	4
2.2 Related Work	4
2.3 Comparative Studies	4
2.4 Scope of Problems	5
2.5 Requirements	5
2.6 Challenges	12
 CHAPTER 3: REQUIRMENT SPECIFICAITON	 13-21
3.1 Introduction	13
3.2 Business Process Modeling	13
3.1.1 Development Method	13
3.3 Requirement Collection and Analysis	14
3.4 Use Case Modeling and Description	15
3.5 Design Requirements	21
 CHAPTER 4: DESIGN SPECIFICATION	 22-34
4.1 Front-end Design	22
4.2 Back-end Design	32
4.3 Implementation Requirements	34
 CHAPTER 5: IMPLEMENTATION AND TESTING	 35-39
5.1 Implementation of Database	35
5.2 Implementation of Front-end Design	35
5.3 Implementation of Interactions	36
5.4 Testing Implementation	38
5.5 Test Result and Reports	39
 CHAPTER 6: CONCLUSION AND FUTURE SCOPE	 40
6.1 Discussion and Conclusion	40
6.2 Scope for Further Developments	40
 REFERENCES	 41

LIST OF FIGURES

FIGURES	PAGE
Figure 2.4.1 Android Studio	7
Figure 2.4.2 Firebase	8
Figure 2.4.3 Unidentified data	10
Figure 2.4.4 Identified data	11
Figure 2.4.5 Machine Learning Kit	12
Figure 3.4.1: Use Case Diagram	15
Figure 3.4.2: Recognize Text Diagram	16
Figure 3.4.3: Face Detection Case Diagram.	17
Figure 3.4.4: Barcode Detection Case Diagram.	18
Figure 3.4.5: Language Identification Case Diagram.	19
Figure 3.4.6: Image leveling Use Case Diagram	20
Figure 4.1: Application Homepage	23
Figure 4.1.1: Text Detecting User Interface.	24
Figure 4.1.3: Text Detecting User Interface	25
Figure 4.1.4: Barcode Scanning User-interface.	26
Figure 4.1.5: Barcode Scanning User-interface.	27
Figure 4.1.6: Face Detection User-interface.	28
Figure 4.1.7: Text Translator User-interface.	29
Figure 4.1.8: Object Detecting User-interface.	30
Figure 4.1.9: Language Identification User-interface.	31
Figure 4.2.1: Requirements of Implementation.	30

LIST OF TABLES

TABLES	PAGE
Table 5.4.1 Functional Testing	37
Table 5.4.2 Performance Testing	38
Table 5.4.3 Usability Testing	39

CHAPTER 1

Introduction

1.1 Introduction

Smartphones are more advanced than ever. They're filled with plenty of features, like the front- and rear-facing cameras, pulse rate monitors, fingerprint screen lock, and access to apps galore.

There's no denying it, from the minute we get up to the minute we head to sleep, we're altogether stuck to our cell phones. Another work messages. Another Facebook notification. The weather application discloses to us a tempest is headed. There's constantly another motivation uplift our smartphones since they do as such much.

1.2 Motivation

The smartphone is the most widely used mobile technology right now. We can't think of life without a smartphone. It became a part of our day to day life. We do a lot of day to day activities with our smartphone. We all have one in our pocket and that has cameras. Typically, with a camera all we do is take photos, videos or make video calls, etc. but a smartphone's camera can do a lot more than that. The smartphone camera won't just see what we see, but will also understand what we see to help us take action. With that thought why don't make a mobile application that can perform smart action with the help of our smartphone camera?

1.3 Objectives

The objective of our project is to develop a user-friendly android mobile application that will help to understand and interact with what's in our camera's viewfinder such as.

Text Recognition

- Identifying the content from a picture. It very well may be utilized for photographs of signs, names, labels, etc. It can be useful for many cases like detecting text from an image and make a copy of that text.

Translate Text

- Translate text from English to Bengali. It can translate a sentence or also word by word like a dictionary.

Image Labeling

- Taking a picture, and identifying substances it contains, for example, objects, creatures, natural products, exercises and that's just the beginning.

Face Detection

- Not to be mistaken for face acknowledgment, which can perceive who is the individual in the picture, or realizing that we see a similar individual on numerous photographs. This is about detecting face features, whether the person is smiling or not or eyes is open or not.

Barcode Scanning

- Peruse information encoded utilizing most standard standardized tag groups.
- React astutely when a client examines a standardized tag.

Language Identification

- Identify a language based on the user input.

1.4 Expected Outcome

To design and develop a smart user-friendly application that will help a user to recognize text from an image, copy that text & translate the text into any language. Identifying objects from an image. Identify key facial features. Getting encoded data from barcodes by scanning using most standard barcode formats.

1.5 Report Layout

Chapter 1: Introduction

In this part, we've talked about the motivation of ours for doing this project and also the objectives and the expected outcome of the project.

Chapter 2: Background

In this chapter, we will discuss the related work application and comparative studies between our developed application and existing related application as well as the problems and challenges that we've faced.

Chapter 3: Requirements Specification

In this chapter, we will discuss the business process model that we followed, requirement collection and analysis with use case modeling and description and logical data model based on our application.

Chapter 4: Design Specification

In this chapter, we will discuss the design of our application with proper front-end and back-end description.

Chapter 5: Specification and Testing

In this chapter, we will discuss the Implementation of our application and testing as well as the testing results.

Chapter 6: Conclusion and Future Scope

we've talked about the conclusion and the scope for further development.

CHAPTER 2

Background

2.1 Introduction

Machine Learning has started to reshape how we live, everything around us nowadays has a touch of ML in it, so has mobile applications. Google has re-presented Firebase with the help of some prepared to utilize machine learning models like-Text recognition, Face detection, Image labeling, and more and backing to actualize custom models utilizing TensorFlow Lite for iOS, Android and Web applications.

In our application Firebase ml kit is the core part. ML Kit accompanies a lot of prepared to-utilize APIs for basic mobile use cases: recognizing text, detecting faces, recognizing tourist spots, checking standardized tags, marking pictures, and recognizing the language of the text.

2.2 Related Work

Our developed application is based on Google's own firebase machine learning kit which was first introduced in Google I/O 2018. After researching about related work, we found on “**Google Lens**” which matches with our developed application.

Google Lens is one of the most up to date increments to the universe of ML and AI reasoning administrations. Presented in 2017 at Google I/O, Google Lens is a picture acknowledgment versatile application that can educate you regarding an article, milestone, or item by examining it through a perspective.

2.3 Comparative Studies

Our developed application is lite, so simple and easy to use. In the above “Related Work” section we discussed Google Lens which can work only when the device has an internet connection but in our developed application it can work without an internet connection, everything is on the device. Besides that, we implemented a feature like a face detection, Language identification which isn't available on the google lens as the time of writing this.

2.4 Scope of Problems

As we wanted to make an application by which a user can interact with what's in our mobile device camera's viewfinder. Our developed application's working principle is dependent on the device camera. Considering that these are the problems we faced while developing this application.

- Camera hardware of the device may cause problems. As our application is fully dependent on the device camera so if the camera of the user's device is not capable to capture a good quality image then it may not deliver expected accurate outcome.

2.5 Requirements

While working on a project selecting the appropriate properties for building the project is important. In this chapter, we will discuss the requirements that followed for our application.

Android Platform

When it boils down to smartphone application advancement stages, it is essentially about the conflict of two major tech factions – Android (fueled by Google) and iOS (designed by Apple).

Apple and Google both have altogether various methods for running the platforms and differ extraordinarily from one another as far as confinements, expenses, and usefulness. Be that as it may, the piece of the overall industry insights gigantically supports Android application improvement.

There is no precluding that the network from securing Android engineers is entrenched. Android has in excess of 300 carriers, programming, and equipment accomplices, who can enable you to construct your application easily and push it in the correct business bearing. In contrast to a different platform, Android application developers regularly cooperate on an open stage and offer their application advancement information, experience and abilities with one another during the application improvement process.

An open platform like Android is in every case better in light of the fact that any software engineer can take a shot at it, regardless of their specialized skill (with the

privilege logins obviously). The Software Development Kit for Android application advancement, otherwise called Android SDK, can be accessed whenever alongside Eclipse, Android's legitimate Integrated Development Environment (IDK). With a couple of endeavors and abilities with respect to Android application designers, a business application can be prepared inside as in time. What comes in striking multifaceted nature to various stages here is that all these Android mechanical assemblies need free.

This implies you get an extraordinary and useful application as well as save money on operational expense as well. Android Studio has additionally been strikingly redone by Google with bleeding edge devices, functionalities, and highlights. The absolute most recent features include:

- Live visual altering guide for programmers
- Availability of build-up devices for a form control, execution, and ease of use
- Good combination capacity with Google Cloud
- Remarkable capacity to create APK records
- Editing domain running on various screens
- App format rendering progressively
- Building variations.

Android application engineers use Java for programming, which is profoundly respected among worldwide undertakings for its enlarging degree and ease of use.

In contrast to different stages, you will get numerous product advancement systems with Android with fluctuating limits that can quickly address your changing business requests, at whatever point you need it. Furthermore, there's a whole other world to it. Well known systems relating to Java and Android additionally render backing to Linux equipment and related devices, which can enable you to investigate different points of interest of such open-source stages.

IDE (Android Studio)



Figure 2.4.1 Android Studio

Android Studio is the authority IDE for Android application advancement. It relies upon the IntelliJ IDEA, a Java incorporated advancement condition for programming and joins its code altering and architect instruments. To help application advancement inside the Android working framework, Android Studio uses a Gradle-based form framework, emulator, code formats, and GitHub combination.

Each undertaking in Android Studio has at any rate one methodology with source code and asset archives. These modalities join Android application modules, Library modules, and Google App Engine modules. Android Studio uses an Instant Push highlight to push code and asset changes to a running application.

A developer helps the architect with composing code and offering code satisfaction, refraction, and examination. Applications worked in Android Studio are then accumulated into the APK group for accommodation to the Google Play Store.

The product was first introduced at Google I/O on May 2013, and the primary stable form was discharged in December 2014. Android Studio is accessible for Mac, Windows, and Linux work area stages. Its supplanted Eclipse Android Development Tools (ADT) as the essential IDE for Android application advancement. Android Studio and the Software Development Kit can be downloaded straightforwardly from Google.

Firebase



Figure 2.4.2 Firebase Logo

Firebase is a back-end administration that your application can interface with. It has a great deal of highlights, for example, Real-time database, User Authentication, File Storage and substantially more. With Firebase, we don't have to make database blueprint forthright on the grounds that Firebase is entirely adaptable to make changes to the outline as we advance with our application.

As our application advances over the timeframe, it's prescribed to manufacture an application with Firebase and change a pattern at the same time dependent on the prerequisites. Firebase let you question information from the ongoing database which is totally unique in relation to conventional SQL inquiries.

Realtime Database

The Firebase Realtime Database is a cloud-facilitated NoSQL database that allows you to store and synchronize between your clients in Realtime. The Realtime Database is extremely only one major JSON object that the designers can oversee in Realtime. Realtime matching up makes it simple for your clients to get to their information from any gadget, be it web or portable. Realtime Database likewise enables your clients to team up with each other.

Another astounding advantage of Realtime Database is that it ships with portable and web SDKs, enabling you to manufacture your applications without the requirement for servers. At the point when your clients go disconnected, the Realtime Database SDKs utilize nearby reserve on the gadget to serve and store changes. At the point when the gadget comes on the web, the neighborhood information is consequently synchronized. The Realtime Database can likewise coordinate with Firebase Authentication to give a basic and natural validation process.

Better Scalability

Despite the fact that Firebase's Realtime Database is fit for scaling, things will begin to get insane when your application turns out to be extremely well known or if your database turns out to be extremely enormous. Cloud Firestore depends on Google's Cloud framework. This enables it to scale significantly more effectively and to a more noteworthy limit than the Realtime Database.

Machine Learning

Machine learning is

- Considered as a sub-field of Artificial intelligence
- Involves learning models which allow the program to make predictions on data
- More than just a list of instructions which clearly defines what the algorithmic should do.
- Closely linked to computational statistics, which uses computers to make predictions

The third option here probably needs some explaining. A key contrast between a normal calculation and an ML algorithm is the "learning" model which enables the calculation to gain from the information and settle on its own choices. This enables machines to perform errands which are generally are inconceivable for it to perform. Such assignments can be as straightforward as perceiving human penmanship or as intricate as self-driving autos! For example, say an algorithm is supposed to correctly identify a facial landmark.

Unidentified data



Figure 2.4.3: Unidentified data

An ML algorithm would be prepared on preparing information to 'learn' to perceive facial milestone. Where a straightforward calculation would not be fit for playing out this undertaking, an ML additionally would not exclusively have the option to recognize the photographs as prepared, it would consistently gain from testing information and add to its "learning" to turn out to be progressively exact in its forecasts.

Identified data



Figure 2.4.4: Identified data

Machine learning is one of the most popular approaches in Artificial Intelligence. One of the key aspects of ML is the usage of new/continuous data to iterate and keep on learning. There are many key enterprises where ML is having an enormous effect: Financial administrations, Delivery, Marketing and Sales, Health Care to give some examples. It is normal that in a few decades the mechanical, redundant errands will be finished. AI and upgrades in Artificial knowledge procedures have made unimaginable conceivable, from self-driving cars to computerized healers.

Machine Learning Kit



Figure 2.4.5: ML Kit

With the gigantic development of enthusiasm for ML over the most recent few years, it's just normal to see an item like Firebase ML (Machine Learning) Kit. These days, we discard enough computational capacity to run AI models on our cell phones, an errand which recently was troublesome (yet at the same time, feasible). With this being stated, ML unit was worked so as to bring ML to mobile in a simple to utilize way (without requiring earlier information of ML), however, in a useful way. For the minute it is vision centered and offers the following features:

ML Kit's base APIs cover:

- Barcode scanning, to scan and process barcodes.
- Text recognition.
- Face detection.
- Landmark detection which identify popular landmarks.
- Image labeling, which identify objects, activities, products etc.

ML Kit goes about as an API layer to custom models to make it simple to utilize these models. Developers can use their existing TensorFlow Lite models with ML Kit. Google is also releasing an experimental model compression flow to reduce model sizes. [6]

2.5 Challenges

As our motive of making this application user-friendly, easy to use and lite weight. These are the challenges

- Building a user-friendly user interface.
- Easy to operate.
- Run smoothly on a device with low configuration.

CHAPTER 3

Requirement Specification

3. Introduction

“TEXT, FACE, AND Object Detection Using Machine Learning” is an application which will allow a user to help to understand what’s in their mobile phones comer’s viewfinder by using the camera. A user simply just can open the application take a picture of text documents and the application will help to recognize the text and will allow a user to copy that following text or translate it to any language. The application also can help to read encoded barcode data, identify the language, detect facial key feature and image leveling. As our project is based on the Android platform. In this chapter of our report, we will go through the discussion about the Requirement Specification of our application.

3.1 Business Process Modeling

Business process modeling (or) process modeling, is the analytical representation or put simply an illustration of an organization’s business processes. Modeling processes is a critical component for effective business process management.

3.1.1 Development Method

For our needs, Rapid application developing is suitable because it contains prototyping and also application testing.

Rapid Application Development Method

Quick application improvement is a type of Agile programming advancement system. In contrast to Waterfall techniques, Rapid application improvement stresses working programming and client criticism over severe arranging and necessities recording.

As it were, Rapid application advancement is less talk, more activity, and testing.

While Rapid application improvement de-underlines severe arranging, there are as yet a bunch of steps or stages every advancement venture experience when utilizing the fast application advancement strategy, which we'll examine underneath.

It centers on info yield source and goal of the data. It stresses on conveying ventures in little pieces; the bigger undertakings are partitioned into a progression of littler tasks. The fundamental highlights of RAD model are that it centers on the reuse of layouts, instruments, procedures, and code.

- Flexible and versatile to changes.
- It is valuable when you need to decrease the general task hazard.
- It is versatile and adaptable to changes.
- It is simpler to move expectations as contents; abnormal state deliberations and middle of the road codes are utilized.
- Due to code generators and code reuse, there is a decrease of manual coding.
- Due to prototyping in nature, there is a plausibility of lesser deformities.
- Each stage in RAD conveys the most astounding need usefulness to the customer.
- With less individuals, profitability can be expanded in a short time.

3.4 Use Case Model and Description

This following Use Case Diagram shows the basic model of our application also the relation between a user and a functional model.




Figure 3.4.1: Use Case Diagram

Recognize Text




Figure 3.4.2: Recognize Text Diagram

Face Detection




Figure 3.4.3: Face Detection Case Diagram.

Barcode Scanning




Figure 3.4.4: Barcode Detection Case Diagram.

Language Identification




Figure 3.4.5: Language Identification Case Diagram.

Image Leveling




Figure 3.4.6: Image Use Case Diagram

3.6 Design Requirement

As we are developing an Android Application, there are some requirements that we need to maintain in order to build our application.

★ Software & IDE

- Android Studio
- Operating Systems (Windows / Mac / Linux)

★ Programming Language & Framework

- Java
- Android XML
- Firebase
- Machine Learning Kit

CHAPTER 4

Design Specification

4.1 Front-end Design

Front-end Design The front-end design of an application is one of the most important and challenging parts. While using an application a user generally depends on the front-end of that application to navigate throughout the user interface and use the functionality. Our main focus was to achieve while developing the Front-end portion of our application is to:

- Simple and easy to use user interface.
- Fast loading speed.
- Browser compatibility.
- Easy Functionality Features.

Tools that we are using for developing the front-end of our application is

- Android Studio.
- XML (extensible markup language).

Homepage

After launching the application this page is showed where all the functionality is shown.

User can easily choose any of it by just proceeding it.




Figure 4.1: Application Homepage

Detect Text

This is the simple text detecting user interface; the user simply just can capture an image using the camera or pick an image from the gallery and press “Detect”.




Figure 4.2: Text Detecting User Interface.

Output of the Text Detection

The output from the picture used will be shown here like this way.




Figure 4.3: Text Detecting User Interface

Scan Barcode

This part of the user interface is very simple. The user just needs to choose the barcode image from the gallery or capture it using a camera.




Figure 4.4: Barcode Scanning User-interface.

The output of the Barcode Scanning.




Figure 4.5: Barcode Scanning User-interface.

Face Detection

In here user will be able to detect the facial landmarks like smile and if eyes are open or not.




Figure 4.6: Face Detection User-interface.

Text Translation

Translate text from English to Bengali. It can translate a sentence or also word by word like a dictionary.




Figure 4.7: Text Translator User-interface.

Object Detection

Here user can take an image, and detect entities it contains, such as objects, animals, fruits, activities and more.




Figure 4.8: Object Detecting User-interface.

Language Identification

Through this option, user can Identify a language based on the input.




Figure 4.9: Language Identification User-interface.

4.2 Back-end Design

Back-end or the server-side design is actually the core part of any application, by depending on the back-end side an application works. Back-end design refers to everything the user can't see inside the application and where you are fundamentally centered around how the application functions. For our application, we used back-end tools like:

- Java
- Firebase
- Android XML
- Machine Learning Kit

Java

Java is preferred for many reasons for developing android applications.

- Java is secure (no danger to security since nothing gets executed outside the JVM)
- Object-arranged ideal models.
- Java has plenty of core features that is suitable for android developing.
- JVM (advanced for android): a virtual machine makes the life of an engineer/developer simpler. What's more, android utilizes Dalvik, a VM streamlined to suit android needs.
- Frameworks and Classes: outside the center library, java has numerous structures and classes.

Android XML

Fundamentally, XML is utilized for format planning. All the UI and format of the application is structured utilizing XML. In contrast to Java (which is Back Bone), XML structures application, how it will look, how parts like catches, content view, and so on will be put and their styling. Aside from these, XML is additionally utilized for parsing information either from database or server into an android application. (XML parsing).

Firebase

Firebase isn't something explicitly identified with Android yet a back-end administration gives by google which can coordinate into Android, iOS, sites and other application. It gives all backend administrations like validation through Google, Facebook, OTP, email, and so forth. Different administrations incorporate Realtime database to store content subtleties, stockpiling to store interactive media, cloud administration to send warning and examination to screen application use and crashes.

Machine Learning Kit

For implementing machine learning into mobile application google created software development kit, called ML Kit, that offers the organization's machine learning advancements to designers building Android and iOS versatile mobile applications. Including a lot of base APIs to incorporate machine learning with applications, ML Kit is presently in open beta.

4.3 Implementation Requirements

Implementation requirements is the doing, execution with regards to an arrangement, a strategy, or any plan, thought, model, detail, standard or approach for accomplishing something.




Figure 4.2.1: Requirements of Implementation.

CHAPTER 5

Implementation and Testing

5.1 Implementation of Database

For our application, we used Google's Firebase for ML Kit as our back-end database functionalities. It's an SDK that unleashes the power of Google's machine learning capabilities to mobile apps. It's relatively easy to integrate and requires no knowledge of neural networks to get rolling.

As a mobile-focused machine learning SDK, the ML Kit supports both on-device and cloud-based data models, providing easy offline functionality when needed. We begin working with ml kit firebase by adding the dependency for firebase within our application, it would hold all the data of our system & the rest of the basic functionality was handled by Firebase Console.

5.2 Implementation of Front-end Design.

Front-end design or the user interface of an application is one of the most important fundamental procedure. The usability of an application depends on how simple and handy the user-interface. So, with that thought, we used Android Studio as our IDE for development. Everywhere in our application, we tried to develop a simple and clean user-interface. Tools we used.

- ★ Software & IDE

- Android Studio

- ★ Programming Language & Framework

- Java
 - Android XML
 - Firebase
 - Machine Learning Kit

For making the front-end user interface interactive we choose android material design language which is pleasant to look and makes the user interface more user-friendly.

5.3 Implementation of Interaction

In order to make our application interactive, we tried to build a very simple user-friendly user-interface. Throughout the application, the user will find a simple use user-friendly interface which is easy to navigate. Considering the interaction between user and our developed application we tried to focus on making our application.

- Easy to use & navigate.
- User-friendly.
- Interactive user interface.

5.4 Testing Implementation

A test case is a lot of test inputs, their execution conditions and expected outcomes that are created keeping a specific result in core interest. In straightforward words, a test case is a lot of conditions under which an analyzer checks in a specific framework to decide whether it meets the particular test necessities and capacities appropriately. Creating experiments is additionally useful in deciding the issues, prerequisites, and structure of a specific application being tried.

5.4.1 Functional Testing

The useful testing of Mobiles regularly comprises of the regions of testing client communications just as testing the exchanges.

Table 5.4.1 Functional Testing

Test ID	Test Cases	Test Data	Pass/Fail	Status of Bug	Date
1	Regardless of whether all the required obligatory fields are functioning as required	All the required fields are working as required.	Pass	N/A	26/07/2019
2	Regardless of whether the application fills in according to a necessity at whatever point the application begins/stops.	In our test data the application works as it's supposed to.	Pass	N/A	26/07/2019
3	Is the introduced application empowering different applications to perform agreeably, and it doesn't consume huge amount of phones ram memory	The introduced application empowers different applications to perform ordinarily and it doesn't eat memory of other application.	Pass	N/A	26/07/2019
4	Whether the application minimize whenever an approaching telephone call comes.	Yes, while the app is running and gets an incoming call is minimized.	Pass	N/A	26/07/2019
5	Is the installation process is done smoothly and did not cause any errors?	The installation process is done smoothly and did not cause any errors.	Pass	N/A	26/07/2019

5.4.2 Performance Testing

This kind of testing's crucial target is to guarantee that the application performs acceptably under certain presentation necessities, for example, access by countless clients or the expulsion of a key framework part like a database server.

Table 5.4.2 Performance Testing

Test ID	Test Cases	Test Data	Pass/Fail	Status of Bug	Date
1	Is the application executing according to the prerequisite under various burden conditions?	Performs smoothly.	Pass	N/A	28/07/2019
2	Regardless of whether the reaction time of the application is according to the prerequisites.	The application response as per the requirements.	Pass	N/A	28/07/2019
3	Is the battery utilization, memory spills, assets like GPS, Camera execution is well inside required rules?	No battery draining or memory leaks and Camera performance issue.	Pass	N/A	28/07/2019

5.4.3 Usability Testing

The ease of use testing procedure of the Mobile application is performed to have a brisk and simple advance application with less usefulness than a moderate and troublesome application with numerous highlights. The principle target is to guarantee that we wind up having a simple to-utilize, instinctive and like industry-acknowledged interfaces which are generally utilized.

Table 5.4.3 Usability Testing

Test ID	Test Cases	Test Data	Pass/Fail	Status of Bug	Date
1	Is the text dimension being enormous enough to be meaningful and not very huge or excessively little?	Font Size is big enough and readable.	Pass	N/A	28/07/2019
2	Are all the strings being properly convertible when it's needed to be?	Yes, all the strings are converted appropriately.	Pass	N/A	28/07/2019
3	Are every one of the buttons have the required size and be reasonable to enormous fingers?	Yes, all the buttons are suitable.	Pass	N/A	28/07/2019

5.6 Test Results and Reports

From the very begging of this project, we tried testing every time we implemented functionality to our project. But after completing the project we tested the whole application with different test case scenario and we believe that the test results came out as we expected it to be. As we tested with different types of test cases and our developed application passes all the test case scenario, we are hoping it's ready to launch.

CHAPTER 6

Conclusion and Future Scope

6.1 Discussion and Conclusion

It was a magnificent and learning knowledge for us while taking a shot at this venture. This venture took us through the different periods of task improvement and gave us a genuine knowledge into the universe of computer science. The delight of working and the rush include while handling the different issues and difficulties gave us a vibe of being in developer industry. From the very begging of this project, we tried our best to develop this application the way we dreamed of.

We are hopeful about our work. It would be satisfactory if our user gets benefited using our application.

6.2 Scope for Further Development

Our project can be enhanced with more features and contents to help the user. We have some planned about adding some new features to be implemented and also redesigning all the current features with more functionality in future work to make the system more useful. Some of our plans are discussed below.

- Currently, all of our features are on a device but we are planning to add cloud functionality to that will add some new features to our application.
- Recognizing the Bengali Language.
- Detecting more facial key features.
- Translating text into any language.
- Detecting an object more correctly.
- To make the user interface more user-friendly.

Reference

- [1] Google Lens, available at << https://en.wikipedia.org/wiki/Google_Lens>>, last accessed on 05-07-19
- [2] Android Platform, available at << <https://www.hokuapps.com/blogs/5-reasons-to-choose-android-application-development-over-other-platforms/>>>, last accessed on 04-07-19
- [3] IDE (Android Studio), available at << <https://searchmobilecomputing.techtarget.com/definition/Android-Studio>>>, last accessed on 06-07-19
- [4] Firebase, available at << <https://firebase.google.com/>>> last accessed on 04-07-19
- [5] Machine Learning, available at << <https://www.quora.com/What-is-machine-learning-4> >> last accessed on 05-07-19
- [6] Machine Learning Kit, available at << <https://www.infoworld.com/article/3270731/ml-kit-google-brings-machine-learning-apis-to-mobile-developers.html>>> last accessed on 05-07-19
- [7] Rapid Application Development Method, available at << <https://blog.capterra.com/what-is-rapid-application-development/>>> last accessed on 05-07-19
- [8] Java, available at << <https://www.quora.com/Why-is-Java-preferred-for-developing-an-Android-app>>> last accessed on 05-07-19
- [9] Android XML, available at << <https://www.quora.com/What-is-the-use-of-XML-in-Android> >> last accessed on 06-07-19

Turnitin Originality Report

Processed on: 02-Sep-2019 15:25 +06

ID: 1566195306

Word Count: 4812

Submitted: 1

mkit By Masum M

Similarity Index	Similarity by Source	
19%	Internet Sources:	5%
	Publications:	0%
	Student Papers:	18%

3% match (student papers from 29-Dec-2018)
[Submitted to Emirates Aviation College, Aerospace & Academic Studies on 2018-12-29](#)

2% match (student papers from 17-May-2019)
[Submitted to Birla Institute of Technology and Science Pilani on 2019-05-17](#)

1% match (student papers from 01-Apr-2019)
[Submitted to Daffodil International University on 2019-04-01](#)

1% match (student papers from 15-Oct-2018)
[Submitted to University of the Western Cape on 2018-10-15](#)

1% match (student papers from 13-Jan-2019)
[Submitted to Gulf College Oman on 2019-01-13](#)

1% match (student papers from 09-May-2018)
[Submitted to Gulf College Oman on 2018-05-09](#)

1% match (student papers from 31-Mar-2019)
[Submitted to Ganpat University on 2019-03-31](#)

1% match (Internet from 31-Aug-2019)
<https://kissflow.com/bpm/business-process-modelling/>

1% match (student papers from 05-Oct-2016)
[Submitted to Federation University on 2016-10-05](#)

1% match (student papers from 02-Apr-2019)
[Submitted to Daffodil International University on 2019-04-02](#)

1% match (student papers from 13-Nov-2018)
[Submitted to Postgraduate Schools - Limkokwing University of Creative Technology on 2018-11-13](#)

1% match (Internet from 27-May-2019)
<http://blog.tccracks.com/blog/topic/smartphone>

1% match (student papers from 02-Apr-2019)
[Submitted to Daffodil International University on 2019-04-02](#)

< 1% match (student papers from 24-Nov-2018)
[Submitted to Daffodil International University on 2018-11-24](#)

< 1% match (student papers from 16-Jul-2019)
[Submitted to Botswana Accountancy College on 2019-07-16](#)

< 1% match (student papers from 24-Apr-2019)
[Submitted to Laureate Education Inc. on 2019-04-24](#)

< 1% match (student papers from 11-Apr-2019)
[Submitted to Waikato Institute of Technology on 2019-04-11](#)

< 1% match (student papers from 24-May-2016)
[Submitted to The University of the South Pacific on 2016-05-24](#)

< 1% match (student papers from 11-Nov-2018)
[Submitted to Berkeley College Woodland Park on 2018-11-11](#)

< 1% match (student papers from 02-Apr-2019)
[Submitted to Daffodil International University on 2019-04-02](#)

< 1% match (student papers from 31-Mar-2019)
[Submitted to Daffodil International University on 2019-03-31](#)

< 1% match (student papers from 02-Apr-2019)
[Submitted to Daffodil International University on 2019-04-02](#)

< 1% match (student papers from 12-Jul-2019)
[Submitted to University of Northampton on 2019-07-12](#)

< 1% match (student papers from 29-May-2005)
[Submitted to The Hong Kong Polytechnic University on 2005-05-29](#)

< 1% match (Internet from 06-Aug-2019)
<https://www.dezyre.com/article/recap-of-machine-learning-news-for-may-2018/192>

< 1% match (student papers from 07-Apr-2018)
[Submitted to Daffodil International University on 2018-04-07](#)

< 1% match (student papers from 02-May-2018)
[Submitted to Kolesi Universiti Poly-Tech MARA on 2018-05-02](#)

< 1% match (Internet from 24-Sep-2018)
https://novom.ru/en/watch/v_hR4K4aaoQ

< 1% match (student papers from 02-Apr-2018)
[Submitted to Daffodil International University on 2018-04-02](#)

< 1% match (student papers from 17-Sep-2015)
[Submitted to Multimedia University on 2015-09-17](#)