ANTI SLEEPING ALARM SYSTEM FOR DRIVERS

BY

MAHMUDUL HASAN RISHAD ID: 191-15-12382 AND

> FAYSAL AHAMED ID: 191-15-12842 AND

SAMIR BIN AZAD ID: 191-15-12495

This Report Presented in Partial Fulfillment of the Requirements for the Degree of Bachelor of Science in Computer Science and Engineering

Supervised By

Ms. Subhenur Latif Assistant Professor Department of CSE Daffodil International University

Co-Supervised By

Md. Ferdouse Ahmed Foysal

Lecturer Department of CSE Daffodil International University



DAFFODIL INTERNATIONAL UNIVERSITY DHAKA, BANGLADESH

JANUARY 2023

APPROVAL

This Project/internship titled "Anti sleeping alarm system for drivers", submitted by Mahmudul Hasan Rishad, ID No: 191-15-12382, Faysal Ahmed, ID No: 191-15-12842, Samir Bin Azad ID No: 191-15-12495 to the Department of Computer Science and Engineering, Daffodil International University has been accepted as satisfactory for the partial fulfillment of the requirements for the degree of B.Sc. in Computer Science and Engineering and approved as to its style and contents. The presentation has been held on 24-01-2023.

BOARD OF EXAMINERS

Chairman

i

Dr. Touhid Bhuiyan Professor and Head Department of Computer Science and Engineering Faculty of Science & Information Technology Daffodil International University

Hah

Abdus Sattar Assistant Professor Department of Computer Science and Engineering Faculty of Science & Information Technology Daffodil International University

Internal Examiner

Internal Examiner

Fatema Tuj Johra Senior Lecturer Department of Computer Science and Engineering Faculty of Science & Information Technology Daffodil International University

24-01-23

External Examiner

Dr. Dewan Md Farid Professor Department of Computer Science and Engineering United International University

©Daffodil International University

DECLARATION

We hereby declare that, this project has been done by us under the supervision of **Ms. Subhenur Latif, Assistant Professor, Department of CSE** Daffodil International University. We also declare that neither this project nor any part of this project has been submitted elsewhere for award of any degree or diploma.

Supervised by:

Ms. Subhenur Latif Assistant Professor Department of CSE Daffodil International University

Co-Supervised by:

Md. Ferdouse Ahmed Foysal Lecturer Department of CSE Daffodil International University

Submitted by: Rishad

(Mahmudul Hasan Rishad)

ID:191-15-12382 Department of CSE Daffodil International University

(Faysal Ahamed) ID:191-15-12842 Department of CSE Daffodil International University

(Samir Bin Azad) ID:191-15-12495 Department of CSE Daffodil International University

©Daffodil International University

ACKNOWLEDGEMENT

First, we express our heartiest thanks and gratefulness to almighty God for His divine blessing makes us possible to complete the final year project/internship successfully.

We really grateful and wish our profound our indebtedness to **Ms Subhenur Latif**, **Assistant Professor**, Department of CSE Daffodil International University, Dhaka. Deep Knowledge & keen interest of our supervisor in the field of "*Field name*" to carry out this project. His endless patience, scholarly guidance, continual encouragement, constant and energetic supervision, constructive criticism, valuable advice, reading many inferior drafts and correcting them at all stage have made it possible to complete this project.

We would like to express our heartiest gratitude to **Dr.Touhid Bhuiyan**, Professor, and Head, Department of CSE, for his kind help to finish our project and also to other faculty member and the staff of CSE department of Daffodil International University.

We would like to thank our entire course mate in Daffodil International University, who took part in this discuss while completing the course work.

Finally, we must acknowledge with due respect the constant support and patients of our parents.

ABSTRACT

This report is intended as a guide for teachers and engineering students when conducting research is part of course-work requirements. Discussion includes a description of a literature search, the purpose of a literature review finding sources (especially for engineering) and a general strategy to help conduct an efficient and productive literature search. Using tools such as this report, students can become more pro-active about their research projects. Teachers can use this report, among other tools, to begin dialog with their students about expectations for research assignments. Two key steps in a literature search are: (i) finding sources; and (ii) synthesizing information. Each of these is addressed in two of the major sections in this report, as well as how the literature search relates to the entire research process. Then pertinent information is repeated in the summary section for convenience. An annotated reference list is included for ease in finding other useful guidance.

TABLE OF CONTENTS

| CONTENTS | PAGE |
|------------------------------------|------|
| Board of examiners | i |
| Declaration | ii |
| Acknowledgements | iii |
| Abstract | iv |
| CHAPTER | |
| CHAPTER 1: INTRODUCTION | 1-5 |
| 1.1 Introduction | 1 |
| 1.2 Motivation | 1 |
| 1.3 Objectives | 2 |
| 1.4 Expected Outcomes | 2-3 |
| 1.5 Project Management and Finance | 3-4 |
| 1.6 Report Layout | 4-5 |
| CHAPTER 2: BACKGROUND | 6-10 |
| 2.1 Preliminaries/Terminologies | 6-7 |
| 2.2 Related Works | 7 |
| 2.3 Comparative Analysis | 7-8 |
| 2.4 Scope of the Problem | 8-9 |
| 2.5 Challenges | 9-10 |

| 3.2 Requirement Collection and Analysis12-13.3 Block Diagram and Description13-13.4 Logical Data Model15-13.5 Design Requirement16-1CHAPTER 4: DESIGN SPECIFICATION18-4.1 Front-end Design19-24.2 Back-end Design19-24.3 Interaction Design and User Experience22-24.4 Implementation Requirements23-2CHAPTER 5: IMPLEMENTATION AND TESTING26-25.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | CHAPTER 3: REQUIREMENT SPECIFICATION | 11- 17 |
|--|--|--------|
| 3.3 Block Diagram and Description13-13.4 Logical Data Model15-13.5 Design Requirement16-1CHAPTER 4: DESIGN SPECIFICATION18-14.1 Front-end Design19-24.2 Back-end Design19-24.3 Interaction Design and User Experience22-34.4 Implementation Requirements23-3CHAPTER 5: IMPLEMENTATION AND TESTING26-25.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-66.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 3.1 Business Process Modeling | 11-12 |
| 3.4 Logical Data Model15-13.5 Design Requirement16-1CHAPTER 4: DESIGN SPECIFICATION18-14.1 Front-end Design19-24.2 Back-end Design19-24.3 Interaction Design and User Experience22-44.4 Implementation Requirements23-3CHAPTER 5: IMPLEMENTATION AND TESTING26-25.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 3.2 Requirement Collection and Analysis | 12-13 |
| 3.5 Design Requirement16-1CHAPTER 4: DESIGN SPECIFICATION18-4.1 Front-end Design18-14.2 Back-end Design19-24.3 Interaction Design and User Experience22-34.4 Implementation Requirements23-3CHAPTER 5: IMPLEMENTATION AND TESTING26-25.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,29CHAPTER 6: IMPACT OF SOCIETY,30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 3.3 Block Diagram and Description | 13-15 |
| CHAPTER 4: DESIGN SPECIFICATION18-4.1 Front-end Design19-24.2 Back-end Design19-24.3 Interaction Design and User Experience22-24.4 Implementation Requirements23-2CHAPTER 5: IMPLEMENTATION AND TESTING26-25.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 3.4 Logical Data Model | 15-16 |
| 4.1 Front-end Design18-14.2 Back-end Design19-24.3 Interaction Design and User Experience22-34.4 Implementation Requirements23-3CHAPTER 5: IMPLEMENTATION AND TESTING26-35.1 Implementation of Database265.2 Implementation of Front-end Design26-35.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-66.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 3.5 Design Requirement | 16-17 |
| 4.2 Back-end Design19-24.3 Interaction Design and User Experience22-24.4 Implementation Requirements23-2CHAPTER 5: IMPLEMENTATION AND TESTING26-25.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | CHAPTER 4: DESIGN SPECIFICATION | 18-25 |
| 4.3 Interaction Design and User Experience22-44.4 Implementation Requirements23-3CHAPTER 5: IMPLEMENTATION AND TESTING26-35.1 Implementation of Database265.2 Implementation of Front-end Design26-35.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-36.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 4.1 Front-end Design | 18-19 |
| 4.4 Implementation Requirements23-4CHAPTER 5: IMPLEMENTATION AND TESTING26-45.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 4.2 Back-end Design | 19-21 |
| CHAPTER 5: IMPLEMENTATION AND TESTING26-35.1 Implementation of Database265.2 Implementation of Front-end Design26-35.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 4.3 Interaction Design and User Experience | 22-23 |
| 5.1 Implementation of Database265.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,ENVIRONMENT AND SUSTAINABILITY30-306.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 4.4 Implementation Requirements | 23-25 |
| 5.2 Implementation of Front-end Design26-25.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,ENVIRONMENT AND SUSTAINABILITY30-306.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | CHAPTER 5: IMPLEMENTATION AND TESTING | 26-29 |
| 5.3 Testing Implementation285.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY,ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 5.1 Implementation of Database | 26 |
| 5.4 Test Results and Reports29CHAPTER 6: IMPACT OF SOCIETY, ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 5.2 Implementation of Front-end Design | 26-27 |
| CHAPTER 6: IMPACT OF SOCIETY,ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 5.3 Testing Implementation | 28 |
| ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | 5.4 Test Results and Reports | 29 |
| ENVIRONMENT AND SUSTAINABILITY30-6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | | |
| 6.1 Impact on Society306.2 Impact on Environment30-36.3 Ethical Aspects31-3 | CHAPTER 6: IMPACT OF SOCIETY, | |
| 6.2 Impact on Environment30-36.3 Ethical Aspects31-3 | ENVIRONMENT AND SUSTAINABILITY | 30-33 |
| 6.3 Ethical Aspects 31-3 | 6.1 Impact on Society | 30 |
| | 6.2 Impact on Environment | 30-31 |
| 6.4 Sustainability Plan 32-3 | 6.3 Ethical Aspects | 31-32 |
| | 6.4 Sustainability Plan | 32-33 |

| CHAPTER 7: CONCLUSION AND FUTURE SCOPE | 34-35 |
|---|-------|
| 7.1 Discussion and Conclusion | 34 |
| 7.2 Scope for Further Developments | 35 |
| REFERENCES | 36 |

LIST OF FIGURES

| FIGURES | PAGE NO |
|----------------------------------|---------|
| Figure 1: Block Diagram | 14 |
| Figure 2: Circuit diagram | 25 |
| Figure 3: Implementation Diagram | 27 |

CHAPTER 1 INTRODUCTION

1.1 Introduction

Whether we're on the road at home or abroad, know the risks and take steps to protect our health and safety. According to google each year 1.35 million people are killed on roadways around the world. Every day almost 3700 people are killed globally in crashes involving cars, buses, motorcycles, bicycles, or trucks. And many of are injured critically. Most probably drives are the causes of those accident. Globally car accident has proven to be one of the biggest security concerns of world. Out system will help to reduce that. In our system we use IR sensor that has inferred light. When driver eyes are open inferred light does not reflect but when eyes are off that time light reflect for human skin. After a certain time, reflection buzzer will automatically sound and if driver do not open his/her eyes then vehicle back light will be on and after that engine will be automatically off. For back light other driver will understand that the vehicle will be stop and that's how we can reduce accident.

1.2 Motivation

In our country according to the police, at least 5088 people were killed in 5472 road accidents in 2021 - 30 percent higher than the previous year. The BPWA data paints a bleaker picture – 7,809 deaths and 9,039 injuries in 5,629 road mishaps last year. According to google Worldwide there are 11akh police reported crashes each year are caused primarily by drowsy driving. It's result in 71,000 injuries annually. Drowsy driving results in more than 6,400 losses annually. There is no good mechanism to prevent accidents in our country. We lose many of our close people in road accidents. Sometimes the whole family is torn apart by the death of one person in accident. That's why we want to reduce this via a system.

1.3 Objectives

Our system will start working when the driver falls asleep. The driver's eyes can be understood through the IR sensor. A buzzer will sound when the sensor detects that the driver has fallen asleep. Due to which the driver will become active again and the chances of accidents will decrease. If the driver does not open his eyes after the buzzer sounds, the LED light will open and the engine will stop automatically. In this way we can avoid many major accidents and many lives can be saved from danger. Our system is very easy to use and does not require any complex maintenance which can be easily operated by anyone. It is very useful for drivers. Our circuit will also consume less electricity.

1.4 Expected Outcomes

An exhausted outcome or driver anti-sleep device may be a device or system that's designed to alert a driver after they are in danger of falling asleep at the wheel. These systems will take several forms, as well as wearable devices, in-vehicle alarms, or a mix of each.

One example of associate anti-sleep device may be a wearable device that uses sensors to sight once a driver's head nods or their body becomes inactive for an extended amount of your time. once this happens, the device can emit associate alert, like a loud beep or vibration, to wake the motive force and stop them from falling asleep at the wheel.

Another example is associate in-vehicle system that uses sensors to observe the driver's eye movements and facial expressions. If the system detects that the motive force is exhibiting signs of drowsy driving, like frequent eye blinking or yawning, it'll trigger associate alarm to alert the motive force to require a clear stage or head to rest.

There are several potential advantages to victimization associate anti-sleep device, as well as accumulated safety on the roads, reduced risk of accidents and fatalities, and improved productivity for industrial drivers. However, it's necessary to notice that these systems mustn't be relied upon as a sole suggests that of preventing drowsy driving, and drivers should make sure that they're well unwary and alert once behind the wheel.

1.5 Project Management and Finance

Project management and finance are important considerations when developing an anti- sleep alarm system for drivers. Some specific tasks and considerations that may be relevant to this project include:

- Setting project goals and objectives: Clearly defining the goals and objectives of the project will help guide the development process and ensure that the final product meets the desired requirements.
- **Budgeting:** Estimating the costs associated with developing and producing the anti- sleep alarm system, including materials, labor, and other expenses, will help inform decisions about the project's scope and resources.
- **Resource management:** Identifying and securing the resources needed to complete the project, including personnel, equipment, and materials, is crucial for successful project execution.
- **Risk management:** Identifying and mitigating potential risks that could impact the project's success is an important part of project management. This may include identifying potential sources of delay or failure and implementing contingency plans to address them.
- **Project scheduling:** Developing a detailed schedule of tasks and milestones will help ensure that the project stays on track and meets its deadlines.

• **Quality control:** Implementing processes and procedures to ensure that the anti-sleep alarm system meets the required standards for functionality, reliability, and safety is essential for the success of the project.

Managing the finances of the project may also involve tasks such as seeking funding or investment, tracking expenses, and managing budgets to ensure that the project stays within its financial constraints.

1.6 Report Layout

A project report for an anti-sleep alarm system for drivers can be organized as follows:

- **Executive summary:** This section should provide a brief overview of the project, including its goals, objectives, and main findings.
- **Introduction:** This section should provide background information on the problem of driver fatigue and the need for an effective solution, such as an anti-sleep alarm system.
- **Project scope and objectives:** This section should describe the specific goals and objectives of the project, as well as any constraints or limitations that were considered.
- Methodology: This section should describe the approach taken to develop the anti -sleep alarm system, including the tools and techniques used, any testing or validation methods employed, and any challenges or obstacles encountered.
- **Results:** This section should present the findings of the project, including any data collected or analysis performed. This may include data on the

effectiveness of the antisleep alarm system, as well as any insights or recommendations for future work.

• **Conclusion:** This section should summarize the main findings of the project and provide any recommendations for further work or improvement.

A well-organized project report will help to clearly convey the results and findings of the anti-sleep alarm system development project, and provide a useful reference for future work.

CHAPTER 2 BACKGROUND

2.1 Preliminaries/Terminologies

Here are some common terminologies that may be used in the context of an antisleep alarm system for drivers:

- **Driver fatigue:** A state of physical or mental tiredness that can impair a driver's ability to operate a vehicle safely.
- Anti-sleep alarm system: A device or system that is designed to alert a driver when they show signs of drowsiness or fatigue, in order to help prevent accidents caused by driver fatigue.
- Microcontroller: A small, self-contained computer that can be programmed to perform various tasks, such as monitoring sensors or controlling actuators.
- Infrared (IR) sensor: A device that detects and measures infrared radiation, which is a type of electromagnetic radiation with a wavelength longer than visible light. IR sensors are commonly used to detect the presence or absence of objects, as well as to measure temperature and other environmental conditions.
- **Buzzer:** An alerting device or system that is designed to attract attention or signal the presence of a specific condition, such as a fire, intrusion, or hazard.

- **Digital input/output (I/O):** A type of I/O that can be used to transfer digital data, such as a binary 1 or 0, between a device and a computer or microcontroller.
- **Power supply:** A device or system that provides electrical power to an electronic device or system.
- **LED light:** A LED light

2.2 Related Works

These systems are designed to alert drivers when they show signs of drowsy driving, such as drifting out of their lane or closing their eyes for too long. Here monitoring steps, we can provide a more accurate detection. There are several different types of anti-sleep alarm systems available, In India we found related work. For the detecting stage, the eye blink sensor always monitor the eye blink moment. It continuously monitor eye blink. If the monitoring is over, the collected data will be transmitted to a microcontroller, and the microcontroller digitizes the analog data. If the warning feedback system is triggered, the microcontroller makes a decision which alert needs to be activated. The second application of this paper is to detect the alcohol content or any leakage of gas from the vehicle, once it deduct such sensation the LED light glows indicating emergency and this project also deals with temperature sensors, in case of any fire inside the vehicle the sensor senses and stops the engine. For the alert systems, we have a beeper device. The project code is developed in C language and then converted to hex code which is readable to the microcontroller.

2.3 Comparative Analysis

Driver fatigue is a major safety concern on the road, as it can lead to accidents and injuries. One way to address this issue is through the use of a driver anti-sleep alarm system. This type of system is designed to alert the driver when they show signs of fatigue, such as nodding off or closing their eyes for too long. There are several different approaches to designing and implementing a driver antisleep alarm system. Some systems use sensors to monitor the driver's eye movements, while others use facial recognition software to detect changes in the driver's facial expression or head position. Some systems use a combination of these technologies, as well as other factors such as the time of day and the length of the trip, to determine when the driver may be at risk of falling asleep.

A comparative analysis of different driver anti-sleep alarm systems would involve examining the various technologies and approaches used by each system, as well as their effectiveness in detecting and preventing driver fatigue. This could include comparing the accuracy and reliability of different sensors and facial recognition software, as well as the overall cost and complexity of each system. It could also involve evaluating the user experience of each system, including how easy it is for drivers to use and whether it causes any distractions or discomfort.

Overall, the goal of a comparative analysis would be to identify the most effective and practical solution for reducing the risk of driver fatigue and improving road safety.

2.4 Scope of the Problem

The scope of the problem of driver fatigue can be quite broad, as it can affect drivers of all types of vehicles and in a variety of settings. Some of the key factors that can contribute to driver fatigue include:

• Length of time spent driving: The longer a person drives, the more likely they are to experience fatigue. This is especially true if the trip involves long stretches of monotonous driving or if the driver has been awake for an extended period of time.

- Lack of sleep: Drivers who are sleep deprived are more prone to fatigue, as the body's natural sleep-wake cycle is disrupted. This can be a problem for drivers who work long hours or who have irregular sleep schedules.
- **Time of day:** Fatigue is more common during the night, when the body's natural sleep wake cycle is primed for sleep. This can be a problem for drivers who work overnight shifts or who travel long distances at night.
- **Medical conditions:** Certain medical conditions, such as sleep disorders or undiagnosed sleep apnea, can increase the risk of fatigue.
- **Substance abuse:** Alcohol and certain medications can impair a person's ability to stay awake and alert while driving.

The scope of a driver anti-sleep alarm system project would depend on the specific goals and objectives of the project. Some projects may focus on addressing one or more of the factors listed above, while others may take a more comprehensive approach to addressing driver fatigue. The scope of the project could also vary based on the target audience, such as whether it is designed for commercial truck drivers, long-haul drivers, or everyday commuters.

2.5 Challenges

There are several challenges that may arise when developing and implementing a driver anti-sleep alarm system. Some of these challenges include:

• Sensing technology: One of the key challenges in developing an effective driver anti- sleep alarm system is accurately detecting when the driver is at risk of falling asleep. This can be difficult to do using sensors alone, as there are many other factors that can affect a person's eye movements or facial expressions. As a result, it may be necessary to use a combination of

sensors and other technologies, such as facial recognition software, to more accurately detect fatigue.

- False alarms: Another challenge is avoiding false alarms, which can be frustrating and distracting for drivers. False alarms can be triggered by a variety of factors, such as changes in lighting or the driver's facial expression. To minimize false alarms, it may be necessary to fine-tune the system's sensitivity and to use multiple sensors and technologies to confirm the presence of fatigue.
- User acceptance: In order for a driver anti-sleep alarm system to be effective, it needs to be used consistently by drivers. However, drivers may be resistant to using the system if it is perceived as intrusive or inconvenient. To increase user acceptance, it may be necessary to design the system to be as unobtrusive and easy to use as possible.
- **Cost:** Developing and implementing a driver anti-sleep alarm system can be expensive, as it requires the use of specialized sensors and software. This can be a challenge for some organizations, especially if they are trying to implement the system on a large scale.
- Legal and regulatory issues: There may be legal and regulatory issues to consider when developing a driver anti-sleep alarm system. For example, there may be privacy concerns around the use of facial recognition software or other technologies that collect personal data. It may also be necessary to ensure that the system complies with any relevant safety regulations or standards.

CHAPTER 3 REQUIEMENT SPECIFICATION

3.1 Business Process Modeling

Business process modeling is the process of creating a visual representation of the steps and activities involved in a business process. In the context of a driver antisleep alarm system project, business process modeling could be used to understand and optimize the various processes involved in developing, implementing, and maintaining the system.

There are several different approaches to business process modeling, but one common method is to use flowcharts or diagrams to depict the steps in a process. For example, a business process model for a driver anti-sleep alarm system project might include the following steps:

- **Identify the problem:** The first step in the process is to identify the problem that the driver anti-sleep alarm system is intended to solve. This may involve analyzing data on accidents and injuries caused by driver fatigue, as well as researching the underlying causes of fatigue.
- **Develop a solution:** Next, the team would develop a solution to the problem, which might involve designing a system that uses sensors and/or facial recognition software to detect signs of driver fatigue.
- **Test the solution:** The team would then test the solution to ensure that it is accurate and effective at detecting fatigue. This might involve using simulation software or conducting field tests with actual drivers.
- **Implement the solution:** Once the solution has been tested and proven to be effective, it can be implemented on a wider scale. This might involve

installing the system on a fleet of vehicles or making it available to individual drivers.

• Monitor and maintain the system: Finally, the team would need to monitor and maintain the system to ensure that it is working properly and to make any necessary updates or modifications. This might involve troubleshooting any issues that arise, as well as conducting regular maintenance and performance checks.

By modeling the business process in this way, it is possible to identify any bottlenecks or inefficiencies in the process and to develop strategies for improving the system's performance and effectiveness.

3.2 Requirement Collection and Analysis

Requirement collection and analysis is an important step in the development of any project, including a driver anti-sleep alarm system. This process involves gathering and organizing information about the needs and expectations of stakeholders, as well as any relevant regulatory or legal requirements.

There are several different approaches to requirement collection and analysis, but some common methods include:

- **Interviews:** One way to gather requirements is to conduct interviews with stakeholders, such as drivers, safety managers, and regulatory authorities. These interviews can help to identify the key needs and concerns of stakeholders and to clarify any ambiguities or uncertainties.
- **Surveys:** Surveys can be a useful tool for gathering data from a large number of stakeholders. Surveys can be conducted online or in person, and can be used to gather a wide range of information, including opinions, preferences, and experiences.

- Focus groups: Focus groups involve bringing a small group of stakeholders together to discuss a particular issue or topic. These sessions can be a useful way to gather more in-depth and qualitative data on stakeholders' needs and expectations.
- **Observation:** Observing stakeholders in their natural environment, such as while they are driving, can provide valuable insights into their needs and behaviors. This can be done through the use of cameras or other sensors.

Once the requirements have been collected, they can be analyzed to identify any common themes or patterns. This can help to prioritize the requirements and to focus on the most important needs and concerns of stakeholders. It can also help to identify any potential conflicts or trade-offs that may need to be addressed in the design of the system.

3.3 Block Diagram and Description

Use case modeling and description is a technique used to capture and organize the requirements for a system. In the context of a driver anti-sleep alarm system project, use case modeling could be used to identify the different ways in which the system might be used and to specify the steps and interactions involved in each use case.

A use case is a description of a specific scenario or interaction between a user (in this case, the driver) and the system. Each use case typically includes a set of steps, known as "use case steps," that describe the interactions between the user and the system.

To create a use case model for a driver anti-sleep alarm system, the team would first identify the different types of users and the tasks that they need to perform with the system. For example, a use case for a long-haul truck driver might involve detecting and alerting the driver when they show signs of fatigue during a long trip. A use case for a commuter might involve detecting and alerting the driver when they show signs of fatigue during a daily commute.




Figure 1: Block Diagram

Once the use cases have been identified, the team can create a detailed description of each use case, including the steps involved and the expected outcomes. For example, a use case for detecting and alerting a driver when they show signs of fatigue might include the following steps:

- The driver starts the trip
- The system monitors the driver's eye movements using IR Sensor.
- If the system detects signs of fatigue, it sounds an alarm and if driver do not open his eye the system automatic stop the engine.
- The driver responds to the alarm by taking a break or pulling over to rest
- By modeling the use cases in this way, it is possible to understand the requirements for the system in more detail and to ensure that the system is designed to meet the needs of all of the different users.

3.4 Logical Data Model

A logical data model is a conceptual model that represents the data used by a system and the relationships between the data. In the context of a driver anti-sleep alarm system project, a logical data model could be used to organize and structure the data collected by the system, such as information about the driver's eye movements, facial expressions, and driving patterns.

There are several different approaches to creating a logical data model, but one common method is to use entity-relationship diagrams (ERDs). An ERD is a graphical representation of the data entities (or "things") in a system and the relationships between them.

To create a logical data model for a driver anti-sleep alarm system, the team would need to identify the data entities that are relevant to the system and the relationships between them. For example, the data model might include entities such as "driver," "trip," and "alarm," as well as relationships such as "drives" and "triggers." The ERD would then depict these entities and relationships in a visual way, using symbols such as boxes and lines to represent the different elements.

The logical data model can be used to understand and organize the data used by the system and to design the database structure and schema that will be used to store the data. It can also be used to identify any potential data quality or integrity issues and to develop strategies for addressing them.

3.5 Design Requirement

Design requirements are the specific requirements that must be met in order to design a system that is functional, reliable, and user-friendly. In the context of a driver anti-sleep alarm system project, the design requirements would depend on the specific needs and goals of the project, as well as any relevant regulatory or legal requirements. Some possible design requirements for a driver anti-sleep alarm system might include:

- Accuracy: The system must be able to accurately detect signs of driver fatigue, such as nodding off or closing the eyes for extended periods of time.
- **Reliability:** The system must be reliable and work consistently over time. It should not be prone to false alarms or other issues that could distract or annoy the driver.
- **Ease of use:** The system should be easy for drivers to use and understand, with clear instructions and straightforward controls.
- **Compatibility:** The system should be compatible with a variety of vehicle types and models, as well as different operating systems and hardware configurations.
- **Safety:** The system should not distract the driver or cause any other safety issues while it is in use.
- **Privacy:** The system should respect the privacy of drivers and should not collect or transmit any personal data without the driver's consent.

• **Compliance:** The system should comply with any relevant safety regulations or standards, such as those governing the use of electronic devices in vehicles.

By defining the design requirements up front, it is possible to ensure that the system is developed and implemented in a way that meets the needs of all stakeholders and addresses any potential risks or concerns.

CHAPTER 4 DESIGN SPECIFICATION

4.1 Front-end Design

A driver anti-sleep alarm system is a device that helps prevent drivers from falling asleep while driving. It typically works by detecting when the driver's head nods or the vehicle drifts out of its lane and issuing an alert to wake the driver up.

For the front-end design of this project, you will need to consider the user interface (UI) and user experience (UX) of the device. This includes the layout, design, and functionality of the device's display and controls.

Here are some things to consider when designing the front-end of a driver antisleep alarm system:

- **Ease of use:** The device should be easy to use and understand, with clear and intuitive controls.
- **Visibility:** The display should be easy to read in a variety of lighting conditions, including at night.
- Alerts: The device should have a clear and attention-getting alert system to wake up the driver when necessary. This could be a loud beep or an alarm, or a vibrating seat or steering wheel.
- **Customization:** The device should allow the user to customize settings such as sensitivity and alert frequency.
- **Integration:** The device should be easily integrated into the vehicle's existing controls and display system.

Remember to also consider the aesthetics of the device and make sure it fits in with the overall design of the vehicle.

4.2 Back-end Design

The back-end design of a driver anti-sleep alarm system refers to the underlying hardware and software that powers the device. Here are some things to consider when designing the back-end of this project:

- **Sensors:** The device will need sensors to detect when the driver's head nods or the vehicle drifts out of its lane. These could include cameras, accelerometers, gyroscopes, and other types of sensors.
- Algorithm: The device will need an algorithm to analyze the data from the sensors and determine when to issue an alert. This algorithm should be able to accurately detect drowsy driving behaviors while also minimizing false alarms.
- **Power source:** The device will need a power source, such as a battery or connection to the vehicle's electrical system. Consider how long the device should be able to operate without needing a charge or replacement.
- **Data storage:** The device may need to store data, such as sensor readings or alert history. Consider the type of data that needs to be stored and the best way to store it.
- **Connectivity:** The device may need to connect to other systems, such as the vehicle's onboard diagnostic system or a smartphone app. Consider the type of connectivity required and the best way to implement it.
- Hardware: The device will need physical hardware, such as a processor, memory, and other components, to run the software and perform the

necessary tasks. Consider the type and size of hardware needed for the device.

• **Software:** The device will need software to control the hardware and perform the necessary tasks. This could include an operating system, drivers, and other applications.

Consider the type and complexity of software needed for the device. Remember to also consider the reliability, security, and maintenance requirements of the device when designing the back-end.

4.2.1 Programming Code:

```
int IRSensor = 7;
int buzzer = 5;
int led = 12;
int motor=6;
int b=3000;
int m=1500;
int l=1500;
void setup()
       pinMode (IRSensor, INPUT);
{
       pinMode (buzzer, OUTPUT);
       pinMode (led, OUTPUT);
       pinMode (motor, OUTPUT);
}
void loop()
       int statusSensor = digitalRead (IRSensor);
{
       if (statusSensor == 1)
              digitalWrite(buzzer, LOW);
       {
              digitalWrite(led, LOW);
              digitalWrite(motor, HIGH);
              delay(b);
       }
       else
              digitalWrite(buzzer, HIGH);
       {
              delay(l);
              digitalWrite(led, HIGH);
              delay(m);
              digitalWrite(motor, LOW);
       }
}
```

4.3 Interaction design and user experience (UX)

Interaction design and user experience (UX) are important aspects of the design of a driver anti-sleep alarm system. They refer to how the device is used and how it feels to use it.

Here are some things to consider when designing the interaction and UX of a driver anti sleep alarm system:

- **Ease of use:** The device should be easy to use, with clear and intuitive controls. The driver should not have to spend a lot of time figuring out how to use the device.
- **Visibility:** The display should be easy to read, even in poor lighting conditions. The driver should not have to strain to see the display.
- Alerts: The device should have a clear and attention-getting alert system to wake up the driver when necessary. The driver should be able to easily understand the alert and know what to do in response.
- **Customization:** The device should allow the driver to customize settings such as sensitivity and alert frequency. The driver should be able to easily adjust these settings to their preference.
- **Integration:** The device should be easily integrated into the vehicle's existing controls and display system. The driver should not have to spend a lot of time figuring out how to use the device in conjunction with other systems in the vehicle.
- Aesthetics: The device should look attractive and fit in with the overall design of the vehicle. The driver should not be embarrassed to have the device visible in their vehicle.

Remember to also consider the overall user experience of the device, including how it feels to use it and whether it meets the needs of the driver.

4.4 Implementation Requirements

To implement a driver anti-sleep alarm, you'll have to be compelled to think about variety of necessities. Here are some things to consider:

- **Hardware:** you'll have to be compelled to choose and get the hardware elements for the device, like sensors, processors, memory, and alternative elements. you'll conjointly have to be compelled to think about the way to power the device, either through battery or affiliation to the vehicle's electrical system.
- **Software:** you'll have to be compelled to develop or purchase the computer code for the device, together with the package, drivers, and any necessary applications. you'll conjointly have to be compelled to think about the way to update the computer code as required.
- **Data storage:** If the device has to store knowledge, like detector readings or alert history, you'll have to be compelled to think about the way to store this knowledge and the way to access it as required.
- **Connectivity:** If the device has to connect with alternative systems, like the vehicle's onboard diagnostic system or a smartphone app, you'll have to be compelled to think about the kind of property needed and therefore the best thanks to implement it.
- **Testing:** you'll have to be compelled to check the device to make sure that it's reliable, accurate, and meets the wants of the user. This could involve

testing completely different in several in numerous } environments and with different users.

- **Certification:** looking on your location and therefore the laws in your space, you will have to be compelled to get certifications or approvals for the device. this might embrace safety certifications, emissions certifications, or alternative styles of approvals.
- **Manufacturing:** If you're manufacturing the device on an oversized scale, you'll have to be compelled to think about the producing method, together with the way to assemble the device, the way to package it, and the way to distribute it to customers.

Remember to conjointly think about the price and consider the project, moreover because the time needed to complete it.

4.4.1 Circuit Set up

- 1. we connected IR Sensor's VCC pin with Arduino Nano board's 5v pin, ground with ground and out with digital 7 (D7) pin.
- 2. Buzzer's negative pin connected with Arduino Nano board's ground and positive pin connected with Digital 5 (D5) pin.
- 3. LED's negative pin connected with Arduino Nano board's ground and positive pin connected with Digital 12 (D12) pin.
- 4. Battery's positive pin connected with motor driver's 12V pin by switch.
- 5. Battery's negative pin connected with motor driver's ground pin.
- 6. Motor Driver's 5v pin also connected with Arduino Nano board's 5v pin.
- 7. Motor Driver's out-1 & out-2 pin connected with gear motors.
- Finally, Motor Driver's N1 pin connected with Arduino Nano board's Digital 6 (D6) pin.

After complete this circuit set up we connected Arduino Nano board with a laptop to apply project code. we use ARDUINO software to apply code in Arduino Nano.




Figure 2: Circuit diagram

CHAPTER 5 IMPLEMENTATION AND TESTING

5.1 Implementation of Database

The implementation of a database is the process of designing and building the database to store the data used by a system, such as a driver anti-sleep alarm system. By implementing the database, it is possible to ensure that the data used by the system is organized, structured, and accessible in a way that supports the needs of the system and its users.

5.2 Implementation Front end Design

The front-end design of a driver anti-sleep alarm system refers to the user interface (UI) that the driver interacts with while using the system. The front-end design is a key factor in the usability and user experience of the system, as it determines how the driver accesses and interacts with the system's features and functions.

To implement the front-end design of a driver anti-sleep alarm system, the team would need to consider a variety of factors, such as the layout and navigation of the UI, the visual design of the UI, and the overall user experience. Some specific steps that might be involved in the implementation of the front-end design might include:

5.2.1 Designing the UI layout: The first step in implementing the front-end design is to determine the layout and navigation of the UI. This might involve creating wireframes or mockups of the UI to visualize how the different elements and features will be arranged and accessed.

5.2.2 Developing the visual design: The next step is to develop the visual design of the UI, which includes the color scheme, typography, and other aesthetic

elements. This should be done in a way that is consistent with the overall brand identity of the system and that is visually appealing and easy to read.

5.2.3 Implementing the UI: Once the UI design has been developed, it can be implemented using HTML, CSS, and JavaScript or other web development technologies. This might involve creating custom components and widgets or using existing libraries or frameworks.

5.2.4 Testing and debugging: It is important to test the front-end design to ensure that it is functional and easy to use. This might involve conducting usability testing with real users or using automated testing tools to identify any issues or bugs. By implementing the front-end design in this way, it is possible to create a UI that is intuitive, visually appealing, and easy for drivers to use.




Figure 3: Implementation Diagram

5.3 Testing Implementation

Testing is an essential step in the implementation of a driver anti-sleep alarm system, as it helps to ensure that the system is reliable, accurate, and effective. There are several different types of testing that may be used in the implementation of a driver anti-sleep alarm system, including:

5.3.1 Unit testing: Unit testing involves testing individual components or units of the system to ensure that they are working correctly. This might involve testing the sensors or facial recognition software that are used to detect driver fatigue, or testing the database or other back-end systems.

5.3.2 Integration testing: Integration testing involves testing the system as a whole to ensure that all of the different components are working together correctly. This might involve testing the system in a simulated driving environment or with real drivers.

5.3.3 User acceptance testing: User acceptance testing (UAT) involves testing the system with actual users to ensure that it is easy to use and meets the needs of the intended audience. This might involve conducting usability testing with drivers or other stakeholders to gather feedback on the system.

5.3.4 Performance testing: Performance testing involves testing the system to ensure that it is able to handle the expected load and usage patterns without experiencing any issues. This might involve testing the system under different load conditions or simulating high traffic scenarios.

By conducting thorough testing during the implementation phase, it is possible to identify and fix any issues or bugs in the system before it is deployed, which can help to ensure that it is reliable and effective in the field.

5.4 Test Results and Reports

Test results and reports area unit a very important a part of the testing method within the implementation of a driver anti-sleep warning device. take a look at results give information on the performance and behavior of the system throughout testing, whereas take a look at reports give an outline of the results and any observations or recommendations.

There are a unit many differing types of take a look at results and reports which may be generated throughout the implementation of a driver anti-sleep warning device, including:

5.4.1 Test case results: action results give information on the end result of individual take a look at cases, as well as whether or not the take a look at passed or unsuccessful, and any error messages or different problems that were encountered.

5.4.2 Test outline reports: take a look at outline reports give an outline of the results of the testing method, as well as the quantity of take a look at cases that were run, the quantity of take a look at cases that passed, and therefore the variety of take a look at cases that unsuccessful.

5.4.3 Test execution reports: take a look at execution reports give elaborate info on the execution of the tests, as well as the steps that were taken, the expected results, and therefore the actual results.

5.4.4 Test incident reports: take a look at incident reports document any problems or bugs that were encountered throughout testing, as well as the steps that were taken to breed the difficulty and any recommendations for fixing it.

Test results and reports area unit vital for understanding the performance and irresponsibleness of the system.

CHAPTER 6 IMPACT ON SOCIETY, ENVIRONMENT AND SUSTAINABILITY

6.1 Impact on society

Driver fatigue is a major cause of accidents on the roads, and an anti-sleep alarm system can help to reduce the risk of such accidents occurring. By alerting drivers when they are becoming drowsy, the system can help to keep them awake and alert at the wheel, reducing the risk of accidents due to fatigue.

The impact of such a system on society could be significant, as it could help to reduce the number of accidents and fatalities on the roads. This could lead to a reduction in the overall cost of car insurance, as well as a reduction in the economic and social costs associated with accidents. In addition, the use of an anti-sleep alarm system could help to improve the overall safety and reliability of the road transportation system, which would be beneficial for both individuals and businesses.

Overall, an anti-sleep alarm system has the potential to have a positive impact on society by improving road safety and reducing the number of accidents and fatalities on the roads.

6.2 Impact on Environment

An anti-sleep alarm system for drivers could potentially have a positive impact on the environment in several ways.

First, by reducing the number of accidents on the roads, the system could help to reduce the amount of pollution and other emissions caused by car accidents. This could be particularly beneficial in urban areas where air quality is often poor due to high levels of vehicle traffic. In addition, the use of an anti-sleep alarm system could help to improve the efficiency of the road transportation system, as drivers who are well-rested and alert are likely to drive more efficiently and use less fuel. This could lead to a reduction in fuel consumption and greenhouse gas emissions, which would have a positive impact on the environment.

Finally, the use of an anti-sleep alarm system could also help to reduce the number of vehicles on the roads, as drivers who are more rested and alert are likely to be more productive and able to complete their tasks in less time. This could lead to a reduction in the overall amount of time that vehicles are on the roads, which would also have a positive impact on the environment.

Overall, an anti-sleep alarm system has the potential to have a positive impact on the environment by reducing accidents, improving the efficiency of the road transportation system, and reducing the number of vehicles on the roads.

6.3 Ethical Aspects

There are several ethical considerations that should be considered when developing and implementing an anti-sleep alarm system for drivers.

One ethical consideration is the potential impact on individual privacy. Some people may object to the use of an alarm system that monitors their level of alertness and sends alerts when they are becoming drowsy. It is important to ensure that any system that is developed respects the privacy of drivers and that the data collected by the system is used only for the purpose of improving road safety.

Another ethical consideration is the potential for the system to create an expectation that drivers should always be alert and awake while driving. This could lead to a culture of overwork and fatigue, which could have negative impacts on the health and well-being of drivers. It is important to ensure that any system that

is developed considers the need for drivers to have adequate rest and to ensure that they are not expected to drive while overly tired.

Finally, there may be ethical considerations related to the potential for the system to be used as a tool for monitoring and controlling the behavior of drivers. It is important to ensure that the system is not used in a way that undermines the autonomy or dignity of drivers.

Overall, the ethical aspects of an anti-sleep alarm system for drivers should be carefully considered in order to ensure that the system is developed and implemented in a way that is respectful of the rights and well-being of drivers.

6.4 Sustainability Plan

A sustainability plan for an anti-sleep alarm system for drivers should consider the environmental, social, and economic impacts of the system.

From an environmental perspective, the sustainability plan should consider the potential impact of the system on greenhouse gas emissions, air quality, and other environmental factors. This might involve designing the system to be as energy efficient as possible, using materials that are environmentally friendly and sustainable, and implementing measures to minimize the system's impact on the environment.

From a social perspective, the sustainability plan should consider the impact of the system on the well-being and safety of drivers. This might involve designing the system to be as non-intrusive as possible, and ensuring that it does not create an expectation that drivers should always be alert and awake while driving.

From an economic perspective, the sustainability plan should consider the longterm financial viability of the system. This might involve identifying potential funding sources, developing a business model that is financially sustainable, and ensuring that the system is cost-effective over the long term.

Overall, a sustainability plan for an anti-sleep alarm system for drivers should consider the environmental, social, and economic impacts of the system, and implement measures to ensure that the system is sustainable over the long term.

CHAPTER 7 CONCLUSION AND FUTURE SCOPE

7.1 Discussion and Conclusion

An anti-sleep alarm system for drivers is a technology that has the potential to improve road safety and reduce the number of accidents and fatalities on the roads. By alerting drivers when they are becoming drowsy, the system can help to keep them awake and alert at the wheel, reducing the risk of accidents due to fatigue.

There are several potential ethical considerations that should be considered when developing and implementing an anti-sleep alarm system for drivers, including the potential impact on individual privacy, the potential for the system to create an expectation that drivers should always be alert and awake while driving, and the potential for the system to be used as a tool for monitoring and controlling the behavior of drivers.

A sustainability plan is also important for ensuring that the system is developed and implemented in a way that is environmentally, socially, and economically sustainable over the long term. This might involve designing the system to be as energy efficient and environmentally friendly as possible, considering the impact of the system on the wellbeing and safety of drivers, and identifying long-term funding sources and a financially sustainable business model.

In conclusion, an anti-sleep alarm system for drivers has the potential to have a positive impact on society by improving road safety and reducing the number of accidents and fatalities on the roads. However, it is important to carefully consider the ethical and sustainability aspects of the system in order to ensure that it is developed and implemented in a responsible and sustainable manner.

7.2 Scope for Further Developments

There are several areas where an anti-sleep alarm system for drivers could be further developed in order to improve its effectiveness and usability.

One area for further development is in the accuracy and reliability of the system. Currently, many anti-sleep alarm systems rely on indicators such as eye movement and head position to detect drowsiness, but these indicators are not always accurate and can be affected by factors such as eyeglasses or headwear. Developing more accurate and reliable methods for detecting drowsiness, such as using brainwave or physiological data, could improve the effectiveness of the system.

Another area for further development is in the user interface and usability of the system. Many anti-sleep alarm systems require drivers to manually activate the alarm or to manually reset it when they become alert again. Developing more intuitive and user-friendly interfaces, such as voice-activated systems or systems that automatically adjust the alarm frequency based on the driver's level of alertness, could make the system more convenient and easier to use for drivers.

Finally, there is also potential for further development in the integration of the system with other technologies and systems, such as navigation systems or driver assistance systems. Integrating the anti-sleep alarm system with these other technologies could allow for a more seamless and integrated experience for drivers, as well as enabling the system to make use of additional data sources to improve its accuracy and effectiveness.

Overall, there are many opportunities for further development of an anti-sleep alarm system for drivers, which could lead to improved effectiveness and usability of the system and ultimately help to reduce the number of accidents and fatalities on the roads.

References:

- C.Prabha, R.Sunitha, R.Anitha "Automatic Vehicle Accident Detection and Messaging System Using GSM and GPS Modem", IJAREEIE, Vol. 3, Issue 7, pp: 10723 – 10727, July 2014.
- [2] Arun Sahayadhas, Kenneth Sundaraj, "Detecting Driver Drowsiness Based on Sensors A Review", pp.16937-16953, ISSN 1424-8220, Malaysia
- [3] Raoul Lopes, D.J Sanghvi, Aditya Shah, "Drowsiness Detection based on Eye Movement, Yawn Detection and Head Rotation", Vol. 2, No.6,2012
- [4] Anirban dasgupta, anjith george, "A Vision Based System For Monitoring The Loss Of Attention in Automotive Drivers", IEEE Transaction, vol.14, no.4 2013..
- [5] Drowsy Driver Sleeping Device and Driver Alert System, International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064
- [6] X. Xie, R. Sudhakar and H. Zhuang, -RealTime Eye Feature Tracking from a Video Image Sequence Using Kalman Filter, IIIEEE Transactions on Systems, Man, and Cybernetics, Vol. 25, No.12, pp. 1568-1577, 1995.

Anti Sleeping Alarm for Drivers

| ORIGIN/ | ALITY REPORT | | | | |
|---------|---------------------------|------------------------------|--------------------|------------------|-------|
| | 7% | 16% INTERNET SOURCES | 5% PUBLICATIONS | 12% STUDENT P | APERS |
| PRIMAR | Y SOURCES | | | | |
| 1 | Submitt Student Pape | ed to Daffodil Ir | nternational Un | iversity | 7% |
| 2 | dspace. | daffodilvarsity.e | du.bd:8080 | | 4% |
| 3 | www.irj | mets.com | | | 2% |
| 4 | www.th | eautochannel.co | om | | 1 % |
| 5 | www.al | jazeera.com | | | <1% |
| 6 | ijcseonl Internet Sour | | | | <1% |
| 7 | | ted to South Not hamshire | tingham Colleg | ge, | <1% |
| 8 | www.in | novolo.co.uk | | | <1% |
| 9 | www.th | eiacp.org | | | <1% |

.