

FACE RECOGNITION BASED ON LBPH ALGORITHM

BY

A S M Nasim

ID: 153-15-6629

Md. Ahasan Hasib

ID: 151-15-5287

Nazmul Hasan Nahid

ID: 153-15-6644

This Report Presented in Partial Fulfillment of the Requirements for the Degree of Bachelor of Science in Computer Science and Engineering.

Supervised By

Anup Majumder

Lecturer Department of CSE

Daffodil International

University

Co-Supervised By

MR. Shah Md. Tanvir Siddiquee

Senior Lecturer Department

of CSE Daffodil

International University



DAFFODIL INTERNATIONAL UNIVERSITY

DHAKA, BANGLADESH

September 2019

APPROVAL

This Project/internship titled **“FACE RECOGNITION BASED ON LBPH ALGORITHM”**, submitted by A S M Nasim, ID No: 153-15-6629, Md. Ahasan Hasib, ID No: 151-15-5287, Nazmul Hasan Nahid, ID No: 153-15-6644 to the Department of Computer Science and Engineering, Daffodil International University has been accepted as satisfactory for the partial fulfillment of the requirements for the degree of B.Sc. in Computer Science and Engineering and approved as to its style and contents. The presentation has been held on 12 September.


BOARD OF EXAMINERS



Dr. Syed Akhter Hossain
Professor and Head

Department of Computer Science and Engineering
Faculty of Science & Information Technology
Daffodil International University

Chairman



Narayan Ranjan Chakraborty
Assistant Professor

Department of Computer Science and Engineering
Faculty of Science & Information Technology
Daffodil International University


Internal Examiner



Shaon Bhatta Shuvo
Senior Lecturer

Department of Computer Science and Engineering
Faculty of Science & Information Technology
Daffodil International University

Internal Examiner



Dr. Md. Saddam Hossain
Assistant Professor

Department of Computer Science and Engineering
United International University

External Examiner

DECLARATION

We hereby declare that, this project has been done by us under the supervision of **Anup Majumder**, Lecturer of department of CSE in Daffodil International University. We also declare that neither this project nor any part of this project has been submitted elsewhere for award of any degree or diploma.

Supervised by:

For

Anup

Anup Majumder
Lecturer
Department of CSE
Daffodil International University

Co-Supervised by:

Tanvir Siddiquee

Shah Md. Tanvir Siddiquee
Senior Lecturer
Department of CSE
Daffodil International University

Submitted by:

Nasim

A S M Nasim
ID: 153-15-6629
Department of CSE
Daffodil International University

Ahasan Hasib

Md. Ahasan Hasib
ID: 151-15-5287
Department of CSE
Daffodil International University

Nazmul Hasan

Nazmul Hasan Nahid
ID: 153-15-6644
Department of CSE
Daffodil International University

ACKNOWLEDGEMENT

In the beginning we want to thank and express gratitude to Almighty Allah. It was totally impossible to complete this project without the blessing of Allah.

We are really grateful to **Anup Majumder**, Lecturer, department of CSE, Daffodil International University at Dhaka. We are inspired to see the enough knowledge and interest of our supervisor in the department of software development. His supervision, advising, patience, friendly attitude, encouragement, constructive criticism really helps us to complete this project successfully.

We would like to thank to **Professor Syed Akhter Hossain**, head, department of CSE, Daffodil International University, for his encouragement. We also want to thank to other course teacher and all the staffs of CSE department of Daffodil International University

ABSTRACT

In this paper, we propose a face detection and recognition system based on computer vision of improving security issues. Here, we propose our research by applying significant experiments to test the performance of machine learning using of Haar-Cascade Classifier for detecting face image. We analyze this classifier algorithm by divided into four steps. In this paper, we have to make extraction of Haar-feature selection, creating integral image, Adaboost training, Cascading Classifiers for complete the detection step. We have used Local Binary Patterns Histograms (LBPH) algorithm to complete facial recognition system. We propose several parameters in LBPH and we obtain a training dataset by applying training algorithm. We complete computational part by applying LBPH operation and extracting the histograms. We use different kinds of law to find the difference between two histogram like as Euclidian distance, chi-square etc.

TABLE OF CONTENTS

CONTENTS	PAGE
Approval	
Declaration	
Acknowledgements	
Abstract	
Table of Contents	
List of Figures	
CHAPTER 1: INTRODUCTION	01-04
1.1 Introduction	
1.2 Motivation	
1.3 Objectives	
1.4 Expected Outcome	
1.5 Report Layout	
CHAPTER 2: BACKGROUND STUDY	05-12
2.1 Introduction	
2.2 Literature Review	
2.3 Comparative Studies	
2.5 Challenges	
CHAPTER 3: RESEARCH METHODOLOGY	13-19
3.1 Introduction	
3.2 Research Methodology	
3.3 Data Flow Diagram	
CHAPTER 4: DESIGN SPECIFICATION	20-23
4.1 Front-end Design	
4.2 Back-end Design	

4.3 Experimental Result

4.4 Implementation Requirements

CHAPTER 5: IMPLEMENTING AND TESTING **24-26**

5.1 User Registration with face detection

5.2 Implementation of Database

5.3 Training Data

5.4 Testing Implementation

5.4.1 Acceptance Testing

5.5 Test Results and Reports

5.5.1 System Testing

CHAPTER 6: CONCLUSION AND FUTURE SCOPE **27-28**

6.1 Discussion and Conclusion

6.2 Future plan

REFERENCES **29-31**

LIST OF FIGURES

FIGURES	PAGE NO
Figure 3.1: Structure of face detection and recognition using OpenCV	14
Figure 3.2: Cascade Classifier	15
Figure 3.3: Training dataset	17
Figure 3.4: Extract histogram from original image	18
Figure 3.5: Data flow diagram of whole system	19
Figure 4.1: Front-end design	20
Figure 4.2: Detection of multiple faces	21
Figure 4.3: Image dataset	22
Figure 4.4: Recognition of multiple faces	22
Figure 5.1: Registration using face detection	24
Figure 5.2: Matrix of dataset in YML files	25

CHAPTER I

INTRODUCTION

1.1 Introduction:

In machine learning approach defines a neural network has successfully been applied to analyzing visual imaginary. It has several applications in facial recognition and video analysis, recommender systems and natural language processing. Here we demonstrate face detection and recognition for pedestrians by image processing. Face recognition is growing a multidisciplinary research area and it has spacious applications in the ground of security, identification and verification of a person in image. Face detection and recognition define biometric software application which is able for incomparable identification and verification a person by comparing and analyzing patterns depend on person's facial configuration. Facial recognition compares the information with a database of known faces to find the match. We have focused on pedestrians to identify and verify them from a source that provides digital images.

In recent years computer based face recognition is an advanced and reliable approach which is being certainly exploited for many access control scenarios. It is one of the simplest ways to separate the identity of each other in the face. Human facial recognition defines a personal identification or authentication system that uses one's personal characteristics to verify him/her identity. Basically the process of face recognition is based on two stages; one is face detection and another one is face recognition. Facial detection refers a computer technique that has a several applications to identify human faces in digital images. Facial recognition is usually worked by using „perfect“ data of full frontal facial images. Although, in reality, there are enough situations where full frontal faces may not be available, the imperfect faces come from the CCTV cameras introduce the case in point. Hence, by using partial facial data as probes is still largely an unexplored area of research of the problem of computer based face recognition. In this paper we research the question that covers the idea of face recognition by using partial facial information.

In this paper we introduce Haar-Cascade classifier based on Haar- Feature to detect object which an effective approach is proposed by Paul Viola and Michael Jones in 2001 [12].

In this paper we propose machine learning approach where a cascade function is trained from a large quantity of positive and negative images.

In this paper we obtain the facial recognition by using LBPH algorithm which is one of the simplest and effective approaches for recognizing based computer vision. Nowadays, face recognition becomes most challenging task because of accuracy and efficiency [13]. From the beginning many eggheads have developed various types of algorithms of face recognition including Sparse Coding (SC) algorithm [14], Local Binary Pattern (LBP) algorithm [15], Histograms of Oriented Gradients (HOG) algorithm [16], Linear Discriminate Analysis (LDA) algorithm [17] and Gabor Feature algorithm [18]. These algorithms generally provide a range 50% to 76% of recognition face, comparing with these algorithms we introduce LBPH algorithm that can provide about 90% accurate recognition [19].

1.2 Motivation:

Facial recognition technology is being used in many sectors like as payments, improve security, criminal identification, advertising, healthcare etc. We want to use facial detection and recognition in traffic system for pedestrians for decreasing road accidents. Road accident is a big issue in Bangladesh. Over 2400 deaths on road in last year, it happens for our unskilled drivers, unconscious pedestrians, and poor traffic system and also over population. We know our government has already taken many necessary steps to solve this problem but this problem still exists in our country. Sometimes road accident can occur by pedestrians for their illegal road crossing. Our proposed system is capable to detect that kind of pedestrians who crosses the road without using foot over bridge to take them under punishment so that they can't do again.

As for the purpose, we are extremely motivated to establish a system that detects and recognizes pedestrian faces to reduce deaths on road.

1.3 Objectives:

Our main concern about is to detect and recognize faces of pedestrians who are responsible for making bad use of traffic control system.

We are attempting to construct a fast and efficient face recognition system that detects faces of pedestrians very quickly in disordered backgrounds. We want to minimize the effects of unwanted real time environment by using Haar-Cascade classifier.

At one time the face detection is done; our following intent is to train our system with useful images. By using Local Binary Patterns for each image a feature vector is to be computed. With this feature vector we desire to label the target images using Support Vector Machine (SVM) classification.

Through our proposed method we want to reduce road accidents caused by illegal moving of pedestrians.

By adopting this proposal we can raise public awareness about traffic system and also increase consciousness of road crossing. By the establishment of our project we want to take suspicious pedestrians under punishment.

Moreover, our main concern is to achieve a sound traffic control system and save the valuable lives of pedestrian.

1.4 Expected Outcomes:

Facial recognition is quickly adopted around the world. Nowadays for various security purposes facial recognition is used widely. Its popularity comes from the vast areas of potential applications. Some aspects come from our projects are given below.

The system can be applied at busy places like traffic signals, airports, railway station for detecting pedestrians faces, when our system detect any suspicious faces it would be make an internal alarm or signal.

The system saves the valuable life of pedestrians who are the victim for illegal crosswalk. To develop our country our proposal would work efficiently.

It completely reduces road accidents which are generated by pedestrians as well as it helps to teach them about awareness.

1.5 Report Layout:

Chapter1: Introduction

We explain about introduction, motivation, objectives, expected outcomes and also report layout of our project in this chapter.

Chapter 2: Background Study

Background part of our proposed method is discussed in chapter 2. We also explain literature review, related works, argumentation of the problems and claims about our project in this portion.

Chapter 3: Methodology

In this chapter we include overall procedures that we have used to build this proposed system. Methods are explained here step by step.

Chapter 4: Design Specification

In this section we have discussed about the graphical interface and display to the users.

Chapter 5: Implementation and Testing

Our empirical results are shown along with the performance analysis that is achieved by the proposed system. We have also covered results summary in this chapter.

Chapter 6: Conclusions and Future plans

In this part of the report we have discussed about conclusion and future aims of our proposed system for pedestrians.

CHAPTER II BACKGROUND STUDY

2.1 Introduction

Pedestrians recognition based on face detection is a web based application where we have developed the system by using OpenCV and python language. It enables to detect and recognize pedestrian"s faces for identifying and verifying them and also it is used for many different issues.

Some human facial features like mouth, nose, ear and eyes in a frontal image are called the face recognition system. For developing our system OpenCV is used for face detection. An open source computer vision library namely OpenCV is an open source platform that everyone can freely use the library. OpenCV is built by using of C++ and its basic interface is in C++ but there are capturing Python, Java and MATLAB. OpenCV, generally, may provide three methods for face recognition like as Eigen faces, Local binary pattern histograms (LBPH), Fisher faces.

Face recognition process is categorized into two steps which are face detection and face recognition. Its main concern is to raise awareness of the device of what a face looks like. Face detection generally holds some rules like position of nose, space between eyes, mouth and others. We collect and note information about the face position and size from an image or video stream. Some particular issues are faced by the process of face detection. During imaging for incommodious situation create a problem to differentiate foreground from the background. We use a larger and better training samples for the resolution of this problem. This proposed method based on the use of RGB camera without complex information and cannot distinguish a real face from a face printed on paper. In this cause, in this process, an ordinary camera cannot testify a real face. Face recognition process can be done by following the face detection steps. Face recognition is very convenient and simple to perform than iris or fingerprint recognition.

This paper deals with the detection of face by using Haar classifier and describes the accuracy gained by Local binary Patterns Histograms face recognition algorithm. The cascade classifier is learned with images of faces and images without faces. If Haar-like features are found after scanning an image with the classifier then the image is said to be found.

A method for face recognition is using Local Binary Patterns Histograms which focuses on the statement of the texture features and reflects the details of the characteristics exhibited by the face.

In our proposed method when a pedestrians will come in front of our used camera then it detects his/her face and compare it with image database which is trained by our system. When any match can be found then it send the facial details of pedestrians into server.

2.2 Literature Review

Ilias Maglogiannis et al. [1] developed face detection and recognition of natural human emotion using Markov random fields to build an integrated system for emotion detection. Three modules were consisted for the method and they used color images. For image segmentation and skin detection they used Markov random fields that implemented the skin detection. They were considered colored images of human faces as the training set. They used HLV color space of the specified eye and mouth region for the detection and extraction of eye and mouth. They used edge detection and measured the gradient of eyes and mouths regions. Their proposed method consists of two main parts. Face localization for finding face candidates detect skin regions that possibly hold a human face. Their proposed method had a segmentation technique that transformed images from RGB to YCbCr color space. Their skin detection algorithm was emerged on statistical image processing model through the use of Bayesian estimation. A Markov random field and MRF image segmentation was used by them. Whereas a MRF is a non-casual model, they used MRF for skin detection. Skin detection rate 96.24%, Face detection (eyes and mouth) was 84.97% and emotion detection and recognition was 96.68% they gained by experimenting their proposed method.

Shonal Chaudhry et al. [2] Chandra proposed a face detection and recognition method in an unconstrained environment for mobile visual assistive system. They had noticed that the main material is the intelligent systems module. They developed their proposal by using CNNs or Cascade Classifiers based on the performance. They employed with Cloud-based Support system for computing the features in periods of learning the selected smart system. They discovered the visual assistive system which implemented for low end mobile devices that feature input camera. In day light condition, the highest performance gained by the detection module by using CNNs was 94.64% but lower performance in other lighting condition. Similarly, they obtained maximum performance of 80% by the recognition module when they used CNNs which face images had poor

lighting.

Tomas Markciniak et al. [3] implemented the influence of low resolution of images on reliability of face detection and recognition to experiment authenticity of the real time system, face detection and recognition from low resolution images. They used mathematical morphology operation, which indicated that the presence of a face in the image. They had applied geometric models and they obtained face location. Also, they had used Haar-like features for face detection. It was build depend on the target detector which is proposed by Paul Viola and Michael J. Jones and then upgraded by Rainer Lienhart and Jochen Maydut. They had worked in MATLAB environment, for recognition they had applied an algorithm based on principle component analysis (PCA). They had experiment the detection rate at 70-90% for 640 x 480 image resolution, also the recognition rate was 75% for 256 x 256 pixels resolution.

H. Zhi, S. Lui et al. [4] had proposed face recognition based on genetic algorithm to raise information security. They focused on identity identification to ensure the security in the areas of finance, national security and justice and so on. They extracted the main components of genetic algorithms like coding mechanism, fitness function, genetic operators and control parameters. They had used PCA algorithm for an effective face recognition model. Also they applied SVM to realize classification. They had experiment their proposed methodology on a face database named CAS-PEAL and their model obtained around 99% recognition rates.

Kapil Juneja et al. [5] proposed a LBP pattern-processed Log-Gabor filter for expression and illumination robust facial recognition to promote the accuracy of facial recognition system. They applied the median filter in the pre-processing period to cure the noise influence and to substance the additional features. They had generated the pattern region by applying weighted LBP filter on smoothen face. They had applied frequency and angle-based Log –Gabor filter on LBP weighted face and they had generated robust pattern-feature set. They had used PCA based formulas on the training set of faces to recognize face image. They had experimented with ORL face dataset which includes typically three sample sets of expression and illumination affected images. They had achieved the accuracy of 90% by using proposed pattern-feature-based method in these three sample sets.

G. Niu, Q.Chen et al. [6] had proposed learning on video frame-based face detection method for improve security fields. Their proposed methods had maintained a set of detecting faces from video. They had applied libfacedetection for detecting faces from each frame. A deep learning tool i.e. dlib library was introduced by them in their system. They had applied dlib library for aligning faces and for extracting the feature values. They had applied Gaussian Mixed Model (GMM) clustering algorithm to train and test images for their system. They had covered their experiment through using two of their created database, named FMedia dataset had 2500 images and Masknet dataset had 600 images. And they gained a good real-time execution in accuracy and speed. They had mainly focused for improving security issue by their system which helped them to make a difference between normal and abnormal face.

Jeji Yang, Xufeng Ling et al. [7] had proposed a face detection and recognition method in color image series. They had used UCS (uniform chromatic scale) color system for skin detection. They had applied support-vector-machine for the verification of face image. They had used GST (generalized symmetric transform) for localization of human face depended on geometric features. They had used about 4000 color face images from SJTU face database. They had achieved face detection rate at 97.2% in controllable lighting condition. Also they had showed a high face recognition rate at 98.3% by their proposed method.

Indrasom Gangopadhyay et al. [8] had experimented face detection and recognition by Haar-Cascade classifier, Eigen faces and LBPH Histograms. They had developed face detection process by using Haar Classifier. They had used two algorithms for recognizing face image such that LBPH algorithm and Eigenfaces. They had worked at Python IDLE 3.7 environment as well as they had used SQLite3 database. They had obtained detection rate around 99.2% from still images and 98.7% from video streaming. They had gained around 99.1% recognition rate from images or videos by using Eigenfaces. Also they had used LBPH algorithm for facial recognition and carried out the recognition rate about 99.3%.

Muhammad Sajjad et al. [9] had proposed a face detection and recognition framework for focusing on intelligent security in law enforcement services. They had developed a cost-effective and energy efficient model based on facial expression analysis. They had captured images by using Raspberry

Pi camera and used Viola Jones algorithm for detecting face from images. Their proposed method holds some features and extraction with the help of Gabor filter also they had used SVM classifier. Their trained approach was used to predict the sentiment of individual face image. Three public datasets named CK+, MMI and JAFEE were used by them and they gained a good average accuracy rate. They had completed whole analysis based on SURF, SIFT and ORB for accurate recognition.

Helei Sun et al. [10] had proposed a fast face recognition system based on LBP on Symbian platform. They had implemented their project by using Local Binary Pattern histograms. For detecting face they had used AdaBoost algorithm. They had extracted several features for eye location, geometric normalization and illumination normalization. They had proposed a rapid eye location approach called ER (Eyeball Search). They had improved LBP algorithm in their project for face recognition. They had only used images with size 240 x 320 and had taken 300 images for testing their methodology. Their proposed system could process about 2.5 frames per second and it had an average accuracy rate at 87.78 %.

Zhuolin Jiang et al. [11] had proposed an application based on Class Consistent K-Means to solve recognition problem by generating discriminative visual word. They had applied CCKM clustering algorithm and voting based clustering algorithm for developing discriminative tree classifier learning. They had used holistic random-face features. They had compared the performance of CCKM method recognition rate with KM method and also they had applied support-vector-machine (SVM). In their proposed model they had achieved around 91% recognition rate by using CCKM method whereas they gained only 85% by using KM method.

2.3 Comparative studies

Facial images are concerned for face recognition. Multiple algorithms have been established to resolve the face identification problem. We can identify one of the earliest work was that Savvides et al. In their proposed method they experimented on several facial areas to build quantifiers with discriminative capability. For feature extraction depend on gray scale pictures the method of kernel correlation filters was utilized to decrease image degree. Because of the separation between different facial features they used Support Vector Machines (SVM). In their experiment, they

tested only three basic fields of face are eyes, nose and mouth. They gained experimental result and suggested that the eye side has a sublime authentication degree by comparing to the mouth and other areas.

In an analogous way He et al. [20] discovered a method named the Dynamic feature Matching (DFM) for partial face recognition. They proposed a method emerged on Fully Convolutional Networks (FCN) with sparse representations. They used FCN to substance features among many pictures which has the ability to show more discriminative features. They proposed VGG face model for transferring features to FCN. Their proposed method gained good classification accuracy.

Besides, various robust face recognition methods had been proposed due to assign the aims for face recognition due to face imprisonment in miscellaneous scenarios. In [21], Long et al. developed subclass pooling for classification (SCP) to solve the double imprisonment problem. They used bounded data in a training set. In their proposed system they used a fuzzy max-pooling method and they also used the average pooling schemes. They gained a better result that shows a remarkable margin of performance of their system.

Nowadays, Lahasan et al. [22] proposed a framework called as the Optimized Symmetric Partial Face graph (OSPE) for facial identification within various situations. In their proposed method they used some cues that consists obdurate face, facial manipulation, and variation of flaming. They introduced partial facial data by which they gained results of their experiment that shows some progresses in face recognition rates.

In addition, Daun et al. [23] discovered a system named Topology Preserving Graph Matching (TPGM), in order to improve the recognition method by using incomplete images of faces. They developed the process founded on the Geometric graphs, to present faces and gallery faces. They minimized geometric and textural cost of function by using TPGM. They used four face databases to gain the expected outcome of their proposed method. They achieved better performance on facial recognition from those databases; it also proved that their invention omitted other state of the art approaches at the time. Likewise, Cai et al. [24] proposed a facial variation modeling system for sparse representation for face recognition. They developed their proposed method depend on a single sample face.

They notified the facial transmission towards different neutral, front of faces from diverse facial angle view. They performed face recognition for single image face recognition problem and showed that basic improvements can be achieved.

Another volume of face recognition tasks which is in this part was developed by Li et al. [25]. They developed their method to recognize human faces in frontal views with different illumination, disguise and occlusion. They developed a new technology to recognize human face which essences a dynamic subspace from pictures and they gained the peculiar areas for each matter. They represented a property of discriminative element for those areas.

They had used the K-Nearest algorithm (K-NN) [26], because of giving identification protocol to categorize faces images. Both public databases ORL and Extended Yale B were used where they applied their proposed method. They also used partial facial laws for recognition human face images and results described that their recognition rates was better.

At present, Peng et al. [27] proposed a method named Locality Constrained Collaborative Representation (LCCR) to improve elimination of representative pictures. They applied LCCR that have five distance measures with different databases. In their proposed technique three basic facial features have been used such as right eye, nose, and mouth with whisker by distinguishing the main pictures. Their experimental results indicated that they gained a high recognition rates from the right eye, mouth and whisker by working with LCCR and City Block Distance measures.

Nevertheless, in recent years the performance of proposed methods declines remarkably when dealing with acute occlusions in a face. Several previous discussions indicate that in facial recognition, closeness appears to be a key recognition factor. The rate of closeness of image changes when the target face image is partial occluded, with expressions and with the age of the subjects.

2.4 Challenges

Our project “Pedestrians detection based on face recognition” is very challenging work for us.

In our system we have to detect pedestrian"s faces and recognize them as well as show all the saved data about them which is very challenging for us. To recognize a person in a proper way we need to train his/her image perfectly which is more challenging for us.

Requirements

Creating a dataset by saving captured images was trained firstly to recognize a match of face. Showing persons proper information which is detected is so challenging that we had needed the proper face features for detecting. Server controlling which contains a lot of information was much challenging for us.

Time Scheduling

Time scheduling refers a set of techniques used to develop and offer schedules that says when the whole work will be done. Our main concern was about time scheduling to complete this project in the meantime. If the experiment was not prepared on time it will be a big trouble for us. We divided our project working time and project work among us to complete whole projects.

Cost reducing

Every decision in project development affects cost so it was another challenging task to reduce cost and increase our profits.

Increasing Communication

During the time of developing our project we had faced many questions. For achieving solution we communicated with supervisor and co supervisor. In this case, increasing communication, it was little challenging for us.

Skills for the projects

Required skills to complete our whole project work were taken properly.

CHAPTER III METHODOLOGY

3.1 Introduction:

In previous chapter we discussed about the related works of face detection and recognition system. We have also explained about some difference types of procedure that were used in pervious. In this chapter we will discuss about our procedure that we have used to develop this system. When we study about related works of our system then we came to know about some difference algorithm which can be used for developing face detection and recognition system. After that study we decided to select a specific algorithm. We have used Haar cascade classifier for detecting face and Local Binary Patterns histogram (LBPH) algorithm for recognizing the face. We will discuss briefly about our used algorithms in the net part of this chapter.

3.2 Methodology:

In our system we have to detect faces and recognize them. So when pedestrians come in front of the camera then it detects his/her face"s portion and compares it with image database. If detected image and database image match, then his/her details will pass into server. For creating database we have to train those images along with this system. For completing whole system we need to cover following steps:




Figure 3.1: Structure of face detection and recognition using openCV

Our whole system worked with 4 main Steps which are given bellow.

- A. Face Detection
- B. Train stored data
- C. Face recognition with Local Binary Patterns Histograms (LBPH) algorithm
- D. Data passes in server.

A. Face Detection: The objective of face detection means find the faces from a person's full image or from videos. The faces are detected by the using of Haar cascade classifier. Haar cascade algorithm has 4 steps:

1. Haar features selection
2. Creating integral image

3. Adaboost training

4. Cascading Classifiers

Detecting face this algorithm needs a lot of positives and negative images. Positive images which is with faces and negative images which is without faces. These images are needed to train the classifier. Haar feature works with adjacent rectangular region at a specific location in windows. It calculates the sum pixel intensity of every territory and finds the verities among these sums.




Figure 3.2: Cascade Classifier [28]

For making this system super-fast internal images are used. There can be thousands of features. For this reason Adaboost is used to find best feature and classifier is trained by Adaboost to use them.

The cascade classifier has a collection of stages and every stage is full of weak learners. Weak learner which is also simple classifier and it's called decision stumps. A technique called boosting that is used to train every stage. Boosting takes weighted average of decision which is made by weak learners. It has ability to train most accurate classifier. Every stage of the classifier labels the territory is the present position of sliding windows. It may positive or negative.

If positive then object was found .if negative then object was not found. When label is negative, the classification of the region is complete. Then detector passes windows to the net position. Otherwise the classifier passes the territory to the net stage. The stages discard negative sample as soon as possible. A set of positive and negative images are needed to train cascade classifier. Mathematical equation of haar cascade classifier can be written as:

$$\text{Sum} = I(C) + I(A) - I(B) - I(D)$$

Here A, B, C, D are parts of the integral image I.

B: Train stored images: This is one of the most important part. It is very essential to create a database of images in ".yaml" file which are trained by the machine. Comparing with the trained data a face will be recognized.

C: Face recognize with using LBPH: Now see Local binary patterns histograms algorithm steps:

1 Parameter: Local binary patterns histograms algorithm takes four parameter which are:

A. Radius: For building the circular local binary patterns the radius is used. The radius around the central pixel is represented by it. Normally its value is 0.

B: Neighbor: Sample point is essential to build circular local binary patterns. Its value is normally 8.

C. Grid X: Some amount of cells in horizontal direction. If more cells then more finer grid and the resulting feature is higher dimensional. Its value is also 8.

D. Grid Y: Some amount of cells in vertical direction. More cells, more finer grid and resulting feature is higher dimensional. Most of the times it is set to 8.

2. Training Algorithm: At first we need to train the algorithm. We need to use dataset which is used for recognize. Also there is another thing needed which ID for each image. Same person's images must have same ID.



Figure 3.3: Training dataset

3. Applying LBP operation: This is a computational step. Creating intermediate image is the first computational step which describes the original image in another way with using facial characteristics that is better. This algorithm uses the idea of sliding windows with using Radius and Neighbor.

If we describe step by step then it will more understandable. So let's break it into some steps:

- This algorithm breaks an image as some grid and also matrix .Each of this grid and matrix is 3x3 pixels.
- Take middle value of the matrix and use it as threshold.
- For each of 8 neighbor of threshold, set a new binary value.
- Put 1 for equal or greater than threshold and 0 for smaller than threshold.
- At present Matrix is full with just binary number.
- Concatenate value of matrix line by line for every position
- Convert binary value into decimal and put it as the central value of matrix.
- Now get a new image of original image with better representation of characteristics.

4. Extracting the histograms: By using Grid X and grid Y it breaks into grid .each histogram have only 256 positions. It represents intensity of each pixel. Then concatenate every histogram for creating new and large histogram. The characteristics of original image are represented by final histogram.




Figure 3.4: Extract histogram from original image

5. Performing and recognition:

In this step, algorithm has been trained. Every histogram is created for representing each image from database. If we give new image again as an input, we perform the steps again and create new histogram for representing database image. So for finding the matching image we need to compare two histograms. Then it returns an image with the nearest histogram. We may use different kinds of law to find the difference between two histogram like as Euclidian distance, chi-square etc. Here we can use Euclidian distance to measure distance between two histograms. The output of the algorithm is Id from the image with the nearest histogram and return measured distance. Measured distance can be used as Confidence measurement. Here lower confidence means distances between two histograms are closer. So, lower confidence is better than higher confidence. Now we can use threshold value. Face recognition will fully successful if confidence is lower than threshold.

D. Data passes on server:

We have to collect some detail about a pedestrian and put it in database with the reference of user ID which is unique. When system recognizes a person then it goes to database and find out the detail about that recognized person. Here we have created a web app using Django framework. This is one the most popular framework of python.

3.3 Data Flow Diagram:




Figure 3.5: Data flow diagram of whole system

Description:

In our system, Data is passed according to fig [5]. Camera detects face from video capture and covert face image into matrix. Then it does face clustering and store faces on database. Then it recognizes face with comparing. When match occur, then it passes data about the recognized person on server.

CHAPTER IV

DESIGN SPECIFICATION AND RESULT

4.1 Front-end design:

The Admin will put specific user id for each user to train his/her image. This user id needs to accurate identification of user. Don't put same user id for more than one user. Admin also take 100 images of one user for training and all images will be putted under one user id.

```
C:\Users\Nasim-PC\PycharmProjects\untitled2\venv\Scripts\python.exe C:/Users/Nasim-PC/PycharmProjects/untitled2/project.py
Enter User id:|
```

Figure 4.1: front-end design

4.2 Back-end design:

Table 4.1: Design of database

User ID	Name
6629	A S M Nasim
6644	Nazmul Hasan Nahid
6654	Sanjidul
5287	Ahsan hasib

6641	Patho Ghosh
6662	Shakib Hasan

When our system detect faces for training admin has to give unique ID and name to store data about detected persons. And In our database it is stored like as table.1.

4.3Experimental result:

The experiment was executed by using PyCharm on windows 10 operating system. SQLite3 is used for data storing. In figure.7 two images of faces which are different in expression that are detected successfully.




Figure 4.2: Detection of multiple faces

The process of detection is executed by using video recording. In the next step detected area of image is cropped and stored in database as dataset with a unique user ID. In figure.8 is shown the image dataset.



Figure 4.3: Image dataset

The next part is to recognize face. For recognition is compare two histogram and return closest histogram with the user ID. Then system brings the Name from database that is stored in database with unique user ID.




Figure 4.4: Recognition of multiple faces

4.4 Implementation Requirement:

When we started to implement this project, it was very new to us. That was hard to cover up this challenge. For implementing some cameras need for detection and recognition and need a computer to implement the code. We need to set those cameras under the same Wi-Fi network. Besides it requires some soft skills.

- a. Python
- b. OpenCv
- c. Django framework
- d. HTML
- e. CSS
- f. SQLite3

The database handling should be careful so that database is not being heavy for data redundancy.

CHAPTER V

IMPLEMENTATION AND TESTING

5.1 User Registration with face detection

For face recognition, at first we have to register user with detecting his/her face using camera. By putting unique user ID an image is separated from another image.




Figure 5.1: Registration using face detection

5.2 Implementation of database

Database contains a set of images and person name of each image along with user id. Database will be dynamic in future. **Table 5.1:** Simple database of stored data

User ID	Name
6629	A S M Nasim
6644	Nazmul Hasan Nahid
6654	Sanjidul
5287	Ahsan hasib

5.3 Training data

Trainer create .yml file. This file contains all the matrix of each image. This matrix is used for comparing images.

```

%YAML:1.0
---
opencv_lbphfaces:
  threshold: 1.7976931348623157e+308
  radius: 1
  neighbors: 8
  grid_x: 8
  grid_y: 8
  histograms:
    - !!opencv-matrix
      rows: 1
      cols: 16384
      dt: f
      data: [ 5.78512363e-02, 2.27272715e-02, 0., 4.13223123e-03,
        1.03305783e-02, 0., 6.19834661e-03, 1.23966932e-02, 0., 0.,
        0., 0., 6.19834661e-03, 0., 1.23966932e-02, 1.03305783e-02,
        2.06611566e-02, 1.23966932e-02, 0., 8.26446246e-03,
        6.19834661e-03, 2.06611562e-03, 0., 6.19834661e-03,
        8.26446246e-03, 6.19834661e-03, 0., 0., 2.06611566e-02,
        4.13223123e-03, 3.09917349e-02, 2.47933865e-02, 0., 0., 0.,
        0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.,
        2.06611562e-03, 1.23966932e-02, 6.19834661e-03, 0., 0., 0.,
        0., 0., 0., 0., 0., 0., 8.26446246e-03, 2.06611562e-03,
        4.13223123e-03, 8.26446246e-03, 1.23966932e-02,
        2.06611562e-03, 0., 0., 6.19834661e-03, 0., 0.,
        2.06611562e-03, 0., 0., 0., 0., 0., 0., 0., 2.06611562e-03,
        8.26446246e-03, 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.,
        4.13223123e-03, 0., 0., 2.06611562e-03, 6.19834661e-03,
        4.13223123e-03, 0., 0., 0., 0., 0., 4.13223123e-03, 0., 0.,
        0., 0., 0., 0., 4.13223123e-03, 1.65289249e-02,
        4.13223123e-03, 0., 0., 0., 0., 4.13223123e-03, 0.,
        1.23966932e-02, 0., 0., 0., 1.03305783e-02, 0.,

```

Figure 5.2: Matrix of dataset in YML file

5.4 Testing implementation:

Testing part is so excellent experience for us. In this part we take 150 picture for each person with many facial expression for finding the weakness of our system. But our system gives us very brilliant result. It can detect multiple faces in one frame and can successfully recognize multiple

faces in one frame. It can –

- a. Detect faces
- b. Recognize faces
- c. Give Detail of a person who is recognized
- d. Add new user with putting new user ID.

5.4.1 Acceptance Test

This test case is better than other related software which can detect and recognize faces.

5.4.2 Test result and report

All the tested value was positive. We need to focus on graphical interface our system.

5.4.2 System testing

The beta testing result was very supportive. End users will understand the system easily and acknowledgement will be positive.

CHAPTER VI

CONCLUSION AND FUTURE PLAN

6.1 Discussion and Conclusion

Human face recognition has significant uses in law enforcement and justice solutions by getting one step ahead of the ever advancing criminals in the world. Facial detection and recognition system includes software solution for global law enforcement agencies to provide human safety. Facial recognition system has sufficient use for proper detection of terrorists and protects criminal attack in Homeland Defense. Proper use of this system can be seen in airport and other transportation terminal security. Facial recognition system can improve the effectiveness of immigration and customs personnel. The financial service areas have a great concern of security system. Human face detection and recognition system increases the security in financial service sectors.

We develop facial recognition based on face detection for pedestrians. Our main aim is to detect and recognize pedestrians who are responsible for avoiding traffic control system. We are eager to develop a fast and efficient face recognition system that detects faces of pedestrians very quickly in disordered backgrounds in anywhere on road. We can reduce road accidents caused by illegal moving of pedestrians by using our proposed method as well as our aim is to increase public awareness, human safety and law enforcement by adopting our proposal.

6.2 Future scope

Some of the work we have finished but we have a future plan to develop this system is more reliable, understandable and user friendly. To achieve the goal we have to do some work that's are-

- a. Develop a beautiful graphical user interface
- b. Work more with database

- c. Develop dynamic web application
- d. Create authentication to use

References

1. Ilias Maglogiannis, Demosthenes Vouyioukas, Chris Aggelopoulos, "Face detection and recognition of natural human emotion using Markov random fields". (2017)
doi:10.007/s00779 007 0165
2. Shonal Chaudhry, Rohitash Chandra, "Face detection and recognition in an unconstrained for mobile visual assistive system" Artificial Intelligence and Cybernetics Research Group Software Foundation, Nausori, Fiji. (2016), doi:10.1016/j.asoc.2016.12.035
3. Tomasz Marciniak, A. Chielewska, Radoslaw Wechan, Mariana Parzych, Adam Dabrowski, "Influence of low resolution of images on reliability of face detection and recognition". DOI 10.1007/s11042 013 1568 8
 4. H. Zhi, S. Lui, "Face recognition based on genetic algorithm", J. Vis Commun, Image R. (2018), doi: <https://doi.org/10.1016/j.jvcir.2018.12.012>
5. Kapil Juneja, Chhavi Rana, "LBP Pattern-Processed Log-Gabor Filter for Expression and Illumination Robust Facial Recognition", https://doi.org/10.1007/978-981-13-6772-4_68
6. G. Niu, Q. Chen, "Learning on video-frame based face detection system for security fields", J. Vis. Commun. Image R. (2018), <https://doi.org/10.1016/j.jvcir.2018.07.001>
7. Jei Yang, Xufeng Ling, Yitan Zhu, Z. "A face detection and recognition system in color image series", Mathematics and Computers in Simulation, 77(5-6), 531-539,
doi:10.1016/j.matcom.2007.11.020
8. Indrasom Gangopadhyay and Shalini Singh, "Face detection and recognition by haar cascade classifier, Eigenface and LBPH Histograms"
 9. M. Sajjad, M. Nasir, F. Min, Khan, A. Kumar, "Raspberry Pi Assisted Facial Recognition Framework for Smart Security in Law-Enforcement Services", Volume 479, April 2019
<https://doi.org/10.1016/j.ins.2018.07.027>
 10. Helei Sun, Jei Shen, Bin Chen, "LBP Based Face Recognition System on Symbian Platform", Volume 1, 2012, Pages 276-281
 11. Zhuolin Jiang, Zhe Lin, Larry S. Davis, "Class consistent K-means: Application to face and action recognition", Volume 116, Issue 6, June 2012, Pages 730-741
<https://doi.org/10.1016/j.cviu.2013.02.004>

12. Paul viola and Michael Jones, "Rapid Object detection using a boosted Cascade Classifier of Simple Features", International Journal of Computer Vision, 57 (2): 137- 154, 2004.

13. Aftab Ahmed, Fayaz Ali, Jiandong Guo, Farha Deeba, "LBPH Based Improved Face Recognition at Low Resolution", International Conference on Artificial Intelligence and Big Data, 2018.
14. J. Olshausen B A, Field D J, "Emergence of simple-cell receptive field properties by learning a sparse code for natural images", Nature, 1996, 381(6583):607-609
15. J. Chao W L, Ding J J, Liu J Z, "Facial expression recognition based on improved local binary pattern and class-regularized locality preserving projection", Signal Processing, 2015, 117:1-10.
16. J. HU Liqiao, QIU Runhe, "Face recognition based on adaptive weighted HOG", Computer Engineering and Applications, 2017, 53(3):164-168.
17. J. Yu yan Jiang, Ping LI, Qing Wang, "Labeled LDA model based on shared background topic", Acta Electronica Sinica, 2015, 2013, (9):1794-1799.
18. J. WU Qi, WANG Tang-hong, LI Zhan-li, "Improved face recognition algorithm based on Gabor feature and collaborative representation", Computer Engineering and Design, 2016, 37(10): 2769-2774.
19. Aruni Sing, Sanjay kumar Singh, Shrikant Tiwari, "Comparison of face Recognition Algorithms on Dummy faces", The International Journal of Multimedia & Its Application (IJMA), Volume 4, N0.4, August 2012.
20. Savvides et al., "Dynamic feature Matching (DFM) for partial face recognition."
21. J. Long, E. Shelhamer, T. Darrell, "Fully convolutional networks for semantic segmentation", The IEE Conference on Computer Vision and Pattern Recognition (CVPR), Boston, MA, USA, 2015. Doi: 10.1109/CVPR. 2015.7298965
22. Lahasan et al., "Optimized Symmetric Partial Face graph (OSPE) for facial recognition under different conditions".
23. Duan, L. Jiwen, F. Jianjiang, Z. Jie, "Topology preserving structural matching for automatic partial face recognition", IEEE Transaction on Information Forensics and Security 13 (7) (2018), Doi: 10.1109/ TIFS.2018.2804919
24. J. Cai, J. Chen, X. Liang, Single sample face recognition based on intra class differences in a variation model, Sensors 15 (1) (2015), Doi: 10.3390/s150101071.
25. H. Li, Y. Ching, Robust face recognition based on dynamic rank representation , Pattern Recognition, 60 (2016) doi: 10.1016/j.patcog

26. Z. Zhang, "Introduction to machine learning: K nearest neighbors", *Annals of Translational Medicine* 4 (11) (2016) 218. Doi: 10.21037/atm.
27. X. Peng, L. Zhang, Y. Zhang, K. K. Tan, Learning Locality constrained collaborative representation for robust face recognition, *Pattern Recognition*, 47 (9) (2014), Doi: 10.1016/j.patcog.
28. GOOGLE "Cascade Classifier images".

Face Detection

ORIGINALITY REPORT

27%	15%	15%	19%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to Daffodil International University Student Paper	8%
2	Ali Elmahmudi, Hassan Ugail. "Deep face recognition using imperfect facial data", Future Generation Computer Systems, 2019 Publication	4%
3	link.springer.com Internet Source	2%
4	bradscholars.brad.ac.uk Internet Source	1%
5	Hui Zhi, Sanyang Liu. "Face recognition based on genetic algorithm", Journal of Visual Communication and Image Representation, 2018 Publication	1%
6	Shonal Chaudhry, Rohitash Chandra. "Face detection and recognition in an unconstrained environment for mobile visual assistive system", Applied Soft Computing, 2017 Publication	1%